Author Index, Volume 7 (1993)

Abelson, J., 320, 1909
Admon, A., 188, 2235, 2246, 2587
Aggarwal, A., 2483
Al-Dhalimy, M., 2298
Alcamo, E., 1949
Allis, C.D., 592, 2641
Almouzni, G., 2033
Amemura, M., 149
Anderson, M.E., 2575
Anderson, P., 1885
Antoniou, M., 106
Aparicio, O.M., 1133
Ashmun, R.A., 1559
Attardi, L.D., 1341
Auble, D.T., 844
Axelrod, J.D., 857
Ayer, D.E., 2110
Azpiazu, N., 1325
Bai, U., 139
Baldin, V., 812
Baldwin Jr., A.S., 2064
Baltimore, D., 570, 1266, 1354
Bar-Sagi, D., 1559
Bargonetti, J., 2565
Baribault, H., 1191
Barsh, G.S., 454
Bartolomei, M.S., 1663
Barton, M.C., 1796
Bates, D.M., 1993
Baumann, U., 2533
Baxter, M., 2520
Bayle, J.H., 1126
Beach, D., 1572, 2378
Becherer, K., 555
Beemon, K., 1926
Beermann, F., 2285
Beg, A.A., 2064
Belanger, C., 760
Berk, A.J., 180, 1810
Berzal-Herranz, A., 130
Beug, H., 1097
Beverly, S.M., 996
Beyer, A., 1609
Bianchi, A., 883
Bier, E., 961
Bierhuizen, M.F.A., 468
Bignon, Y.-J., 1654
Billington, B.L., 1133
Bindereif, A., 1377
Bishop, J.M., 633
Blader, P., 1436
Blessing, M., 204
Boshart, M., 308
Bowen, J., 2641
Boyd, S.M., 1047
Boyer, T.G., 180, 1810
Bradley, A., 671
Brady, H., 683
Brandstätter, H.J., 2533
Brandt, R., 2172
Braunstein, M., 592
Breitman, M.L., 295
Briegel, K., 1097
Broach, J.R., 592
Brown, A.H., 1737
Brown, B.D., 1620
Brunelle, A., 1214
Brunkow, M.E., 1663
Bulger, M., 1779
Bultman, S.J., 1203
Burke, J.M., 130
Burlingame, T., 2298
Busslinger, M., 2048
Butcher, S.E., 130
Cardenas, M.E., 883
Carlson, M., 583
Carlsson, P., 2418
Casini, T., 749
Cech, T.R., 870
Chabot, B., 2405
Chaconas, G., 2510
Chambers, K.A., 2556
Chan, S.-K., 796
Chang, C.-Y., 1654
Chang, F., 833
Chang, T.-H., 1909
Chapon, C., 1390
Charron, J., 2085
Chen, J.-L., 2235, 2587
Chen, P.-L., 555
Chen, R., 913
Chen, X., 1837, 2565
Chen, Y., 1654
Chhablani, S.K., 1133
Chia, W., 504
Chou, T.-B., 621
Chowrira, B.M., 130
Christian, J.L., 13
Chua, N.-H., 1214
Citovsky, V., 904
Clark, M.J., 441
Cleary, M.A., 72
Cline, T.W., 1688
Cobrinik, D., 2392
Collins, K., 1364
Constantinescu, A., 2520
Cook, R.G., 2641
Corbin, V., 1949
Corces, V.G., 1966
Corcoran, L.M., 570
Cordes, S.P., 454
Coschigano, K.T., 42
Courey, A.J., 694
Covitz, P.A., 1598
Coyne, R.S., 1966
Crabtree, G.R., 188
Cross, F.R., 833
Czerny, T., 2048
Dadd, C.A., 2641
Dahlberg, J.E., 1898
Dahmus, M.E., 1254
Dalton, D., 2609
Dambly-Chaudière, C., 723
Dammel, C.S., 660
Daniel, C.W., 2308
Dautry, F., 2194
Davis, A.C., 671
Davis, M., 2641
Davis, R.L., 1447
Davis, R.N., 974
Davis, R.W., 367
de Lang, T., 883
Debbas, M., 546
Decker, C.J., 1632
Dedon, P.C., 2641
DeJong, J., 2220
Demetrick, D., 2378
Deng, T., 479
Desplan, C., 2120
Devreotes, P.N., 262, 273, 986, 2172
Dick, T., 504
DiDonato, J.A., 705
DiMattia, G.E., 913
Dombroski, A.J., 2446
Donohue, T.J., 2618
Dostatni, N., 2120
Dowd, M., 2609
Dowzer, C., 517
Doyle, H.J.,, 633
Draetta, G., 812
Duhl, D.M.J., 454
Duncan, A.M.V., 2366
Dura, J.-M., 1508
Durfee, T., 555
Dynlacht, B.D., 1850
Dyson, N., 1111
Eisenman, R.N., 2110
Elledge, S.J., 555
Emerson, B.M., 1796
Engel, J.D., 1097
Erickson, J.W., 1688, 2618
Evans, R.M., 1411
Ewen, M., 1111
Ewen, M.E., 331
Fang, G., 870
Farmer, G., 1837
Fattaey, A.R., 1111, 1850
Fauvarque, M.-O., 1508
Fields, S., 1584
Finegold, M., 2298
Fire, A., 216
Fischbach, K.-F., 2533
Fondell, J.D., 1400
Forrester, W.C., 2016
Frasch, M., 1325
Fraser, P., 106
Friedman, F.K., 2456
Fröhlich, A., 2533
Fujita, T., 1266, 1354
Fukuda, M., 468
Galceran, J., 393
Galisson, F., 1390
Gallegos, M.E., 933
Garriga, G., 2097
Gdula, D.A., 1966
George, C.P., 1254
Gerbi, S.A., 1072
Gerrero, M.R., 2483
Gerstein, R.M., 1459
Gertler, F.B., 441
Ghysen, A., 723
Giansante, C., 2194
Giguère, V., 295
Gillett, N., 2609
Gilman, M.Z., 2497
Ginsburg, G.T., 262
Glass, C.K., 1423
Glazebrook, J., 1485
Gober, J.W., 1979
Godiska, R., 2357
Gold, L.I., 2308
Gollop, R., 273
Gong, D.-W., 1033
Gontarek, R.R., 1926
González-Crespo, S., 1703
Goodrich, J.A., 2235
Gorovsky, M.A., 2641
Gottschling, D.E., 1133
Graf, T., 749
Graham, C., 2366
Graves, R.A., 1318
Gray, J.T., 870
Green, M., 1021
Greenblatt, J., 161
Greenleaf, A.L., 2329
Greider, C.W., 1364
Gridley, T., 2071
Grompe, M., 2298
Gross, C.A., 2446, 2618
Grosschedl, R., 760, 2016
Grossman, A.D., 283
Grosveld, F., 106
Grund, C., 2285
Guenther, C., 2097
Ha, I., 1021
Haber, J.E., 2345
Hageman, J.M., 216
Hagman, J., 760
Hahn, S., 844
Hai, T., 1047
Hake, S., 787
Hamlin, J.L., 605
Hammer, R.E., 774
Hampson, R.K., 2598
Han, K., 491
Han, Z., 1423
Handa, H., 2246
Hann, S.R., 671
Hannon, G.J., 2378
Hardin, S.E., 2329
Harland, R.M., 1620
Harlow, E., 1111, 1850
Harrison, D.A., 1966
Haykinson, M.J., 1521
He, X., 2483
Heintz, N., 833
Helin, K., 1111, 1850
Henrique, D., 1436
Henry, R.W., 1535
Hernandez, N., 1291, 1535
Herr, W., 72
Herrmann, B.G., 197
Herschlag, D., 173
Hershberger, R.J., 735

Hibi, M., 2135
Hiebert, S.W., 331
Hill, K.K., 441
Hoffmann, F.M., 441
Hogan, B.L.M., 204, 2308
Hollingshead, P., 2609
Holmes, S.G., 592
Horikoshi, M., 1033
Horowitz, D.S., 320
Horvitz, H.R., 2097
Huang, J.-D., 694
Ichige, A., 1485
Igloi, G.L., 2533
Imai, T., 2246
Ingham, P., 1436
Ireton, K., 283
Jacks, T., 570, 2392
Jacobson, A., 1737
Jahn, C.L., 95
James, C., 2357
Jan, L.Y., 723
Jan, Y.-N., 723
Jaraczewski, J.W., 95
Jeannotte, L., 2085
Jenuwein, T., 2016
Johnson, A.D., 1862
Johnson, F.B., 173
Johnson, M.D., 2308
Johnson, R.C., 1521
Johnson, R.L., 262, 273
Johnson, R.S., 1309
Jones, B., 229
Jones, C.M., 204
Jones, K.A., 2418
Joseph, S., 130
Kadonaga, J.T., 1254, 1779
Kaiser, D., 1645
Kalderon, D., 1229
Kalla, K.A., 913, 1674
Kamakaka, R.T., 1779
Karin, M., 479, 683, 705, 2135
Karvelas, M., 570
Kato, J.-y., 331, 1559
Kelley, R.L., 948
Kelsey, G., 2285
Kennaway, N.G., 2298
Kenyon, C., 1714
Ketchum, A.S., 29
Kidd, S., 1949
Kiehart, D.P., 29
Kilburn, A.E., 555
Kiley, P.J., 1993
Kim, L.-U., 1021
Kim, S.-K., 149
Kim, S.K., 933
Kimelman, D., 355
Kimmel, A.R., 262, 273
King, L.E., 204
Kingston, R.E., 1549
Kinoshita, N., 1059
Kispert, A., 197
Kitajewski, J., 2181
Klausing, K., 683
Klein, E.S., 55
Klobutcher, L.A., 84
Kohwi, Y., 1766
Kokubo, T., 1033
Kolter, R., 2629
Kornblihtt, A.R., 2405
Koshland, M.E., 2006
Kowenz-Leutz, E., 749
Krainer, A.R., 2598
Kramer, K.M., 2345
Kraus, R.J., 2206
Kruse, F., 774
Kurokawa, R., 1423
Kustu, S., 2258
Kyakumoto, S., 1423
Kyrion, G., 1146
La Branche, H., 2405
Lacy, S., 2366
Lane, M.E., 1229
LaPlante, J., 84
Laurent, B.C., 583
Lavery, D.J., 1871
Lavigueur, A., 2405
Lavoie, B.D., 2510
Lazazzera, B.A., 1993
Lazzarini, R.A., 343
LeBowitz, J.H., 996
Lecuit, T., 2120
Lee, J.M., 2329
Lee, W.-H., 555, 1654
Lees, J.A., 1850
Legrain, P., 1390
Lemieux, B., 974
Lemieux, M., 2085
Leutz, A., 749
Levine, A.J., 1126
Levine, M., 1703
Lew, D., 683
Li, J., 161
Li, P., 2483
Li, Q., 2471
Li, W., 216
Li, Y., 2366
Liang, C., 1072
Liao, X.C., 419
Lichte, B., 2533
Lieber, M.R., 1459
Lieber, T., 1949
Lilly, P., 986
Lim, K.-C., 1097
Lin, A., 2135
Lin, K.C., 2172
Lin, S.-C., 913
Liou, H.-C., 1266, 1354
Lipkin, S.M., 1674
Lira-DeVito, L.M., 1254
Liu, C., 1146
Liu, K., 1146
Livingston, D., 1111
Lloyd, A.M., 367
Lobo, S.M., 1535
Loer, C.M., 1714
Loritz, K., 2206
Losick, R., 895
Louis, J.M., 262
Lowe, S.W., 535
Lu, X., 621
Lukas, J., 812
Lund, E., 1898
Lustig, A.J., 1146
Ma, C., 605
Ma, D., 2246
MacDonald, R.J., 774
Madani, N., 1796
Maier, D., 2533
Majors, J., 857
Mak, A., 1862
Makino, K., 149
Maldonado, E., 1021
Mandic-Mulec, I., 139
Manfredi, J.J., 529, 2565
Mangan, E.K., 1979
Manley, J. L., 491
Mann, R.S., 796
Marcote, M.J., 812
Marshak, D.R., 2565
Martin, S., 605
Mason, S.W., 161
Matsui, Y., 2308
Matsushime, H., 331
Mattei, M.-G., 468
Mayeda, A., 2598
Mayr, G., 2575
McGinnis, W., 229
McKinney, J.D., 833
McLean, B.G., 904
McNally, M.T., 1926
Mecsas, J., 2618
Mellon, P.L., 683, 1654
Merchant, A.M., 2149
Mercurio, F., 705
Mermelstein, F., 2246
Mertz, J.E., 2206
Michaud, E.J., 1203
Michaud, S., 1008
Miller Jr., O.L., 1609
Miller, L.M., 933
Miller, M.W., 454
Milne, G.T., 1755
Minden, A., 2135
Mitchell, A.P., 1598
Mitchelson, A., 241
Miyai, K., 1191
Moerman, D.G., 1471
Mok, M., 2483
Moll, T., 517
Montell, C., 1085
Montell, D.J., 2548
Moon, R.T., 13
Morisseau, B.A., 933
Morrow, T., 2520
Moses, H.L., 2308
Mougey, E.B., 1609
Mullen, G.P., 1471
Murray, E.E., 2206
Näär, A., 1423
Näär, A.M., 1674
Nadal-Ginard, B., 393
Nakata, A., 149
Nakatani, Y., 1033
Nanney, L.B., 204
Nasmyth, K., 517, 1160
Natesan, S., 2497
Neel, H., 2194
Ness, S.A., 749
Ngwu, C., 1850
Nitsch, D., 308
Niwa, H., 1059
Nolan, G.P., 1266, 1354
Noll, M., 114
Noller, H.F., 660
North, A.K., 2258
Northrop, J.P., 188
Nossal, G.J.V., 570
O'Hare, K., 241
O'Reilly, M., 1609
Oguri, K., 2246
Ollmann, M.M., 454
Olson, D., 1126
Osheim, Y., 1609
Oshima, R.G., 1191
Otulakowski, G., 295
Ou, C.-N., 2298
Pabo, C.O., 2556
Pagano, M., 812
Panchenko, Y., 1766
Papaioannou, V.E., 1309
Park, E., 2161
Parker, R., 1632
Parkin, N.T., 2181
Paterson, B.M., 2456
Patton, J.G., 393
Paull, T.T., 1521
Pavletich, N.P., 2556
Peeper, D.S., 2392
Peltz, S.W., 1737
Peng, A., 2520
Perlmann, T., 1411
Perrimon, N., 621
Perry, M.D., 216
Pick, L., 343
Pierce Jr., D.F., 2308
Pitt, G.S., 2172
Pitts-Meek, S., 2609
Plank, C., 1097
Plasterk, R.H.A., 1244
Poirier, F., 2085
Porro, E.B., 393
Porter, S.C., 2258
Poteete, A.R., 1498
Potter, S.S., 2318
Powell-Braxton, L., 2609
Prakash, L., 250, 2161
Prakash, S., 250, 2161
Preuss, D., 974
Price, J., 1191
Prives, C., 529, 1837, 2565
Pruzina, S., 106
Prywes, R., 1837
Pulak, R., 1885
Purchio, A.F., 2308
Qiu, H., 2161
Qiu, Y., 1447
Quelle, D.E., 1559
Qui, R.-G., 2016
Ramos, R.G.P., 2533
Ranade, K., 1498
Rangarajan, P.N., 1411
Ranjan, M., 1725
Raz, E., 1937
Reagan, M.S., 857

Reed, M., 2575
Reed, R., 1008
Reed, S.I., 822
Reinberg, D., 1021, 2246
Renauld, H., 1133
Rhodes, S.J., 913
Richman, A.M., 29
Rigby, P.W.J., 1277
Riley, D.J., 1654
Roark, M., 961
Roberts, S., 1021
Roberts, T., 621
Robertson, B., 216
Robertson, E.J., 2085
Robinson, S.D., 2308
Roeder, R.G., 1033, 1400
Roeder, R.G., 2220
Rogalski, T.M., 1471
Rosbash, M., 419
Rose, A.B., 592
Rose, S., 774
Rosenfeld, M.G., 55, 913, 1423, 1674, 2483
Rosette, C., 705
Ross, S.R., 1318
Rottman, F.M., 2598
Roussel, M.F., 1559
Rouviere, P.E., 2618
Roy, A.L., 1400
Ruby, S.W., 1909
Rudner, D.Z., 283
Ruley, H.E., 535
Ruppert, S., 2285
Rusche, L., 996
Sack, R.A., 1674
Sadowski, C.L., 1535
Sager, B., 1645
Salser, S.J., 1714
Savant-Bhonsale, S., 2548
Saxe III, C.L., 262, 273
Scarpulla, R.C., 380, 2431
Schaap, P., 2172
Schaffner, G., 2048
Schena, M., 367
Schiber, U., 1871
Schlissel, M., 2520
Schmidt, J.E., 355
Schneider, T., 2533
Schneitz, K., 114
Schütz, G., 308, 2285
Schwedes, J.F., 2575
Schwedock, J., 895
Schwob, E., 1160
Schwyter, D.H., 694
Scott, M.L., 1266, 1354
Scully, K.M., 913
Sheldon, L.A., 1549
Shen, J., 2329
Sheng, G., 2120
Sherr, C.J., 331, 1559
Shilo, B.-Z., 1937
Shimura, Y., 407
Shin, M.K., 2006
Shinagawa, H., 149
Shiomi, K., 429
Shirakata, M., 2456
Shirokawa, J.M., 694
Shiroya, T., 2246
Shu, M.-D., 1176
Shurtleff, S.A., 1559
Siegele, D.A., 2629
Silverman, S., 1423
Simmons, D., 55
Simonelig, M., 241
Sinha, N.R., 787
Siranosian, K.J., 283
Sive, H.L., 1
Small, K.M., 2318
Smeal, T., 2135
Smith, H.Q., 996
Smith, H.S., 1072
Smith, I., 139
Solllner-Webb, B., 1609
Soriano, P., 2298
Spiegelman, B.M., 1309, 1318
Spielmann, P., 114
Spitzer, J.D., 1072
Spotts, G.D., 671
Stargell, L.A., 2641
Stauber, C., 683
Steitz, J.A., 647, 1176
Stenger, J.E., 2575
Stern, S., 72
Stewart, T.A., 2609 Stott, D., 197
Strähle, U., 1436
Stroke, I.L., 1584
Stubbs, L.J., 1203
Sturtevant, M.A., 961
Su, L., 735
Sun, Q., 2598
Sun, X., 1021, 2246
Sung, P., 250
Swanson, L., 55
Swiatek, P.J., 2071
Swift, G.H., 774
Tafuri, S.R., 1725
Takeichi, 429
Tanaka, K., 407
Tanaka, M., 72
Tang, J., 419
Tang, Y., 822
Tanguay, R.M., 2285
Tebb, G., 517
Tegtmeyer, P., 2575
Tempst, P., 393
Terns, M.P., 1898
Theill, L.E., 683
Thiele, D.J., 1824
Tilghman, S.M., 1663
Tini, M., 295
Tjian, R., 1341, 2235, 2587
Togashi, S., 429
Trask, B., 605
Travis, A., 760
Treich, I., 583
Trent, C., 216
Tsuchimoto, S., 1214
Tsui, L.-C., 295
Turck, C.W., 760
Turner, L.R., 84
Tycowski, K.T., 1176
Tye, B.K., 2149
Tyree, C.M., 1254
Uemura, T., 429
Ullman, K.S., 188
Umesono, K., 1411
van den Heuvel, S., 1111
van der Krol, A.R., 1214
van Lingen, B., 1309
van Luenen, H.G.A.M., 1244
Varmus, H.E., 2181
Vinson, C.R., 1047
Virbasius, C.-m.A., 380, 2431
Virbasius, J.V., 380, 2431
von Dassow, G., 355
Vos, J.C., 1244
Vrieling, H., 454
Wada, T., 2246
Walker, G.C., 1485
Walter, W.A., 2446
Wampler, S.L., 1254
Wang, P., 2575
Wang, Y., 2575
Warburton, C., 2609
Wassarman, K.M., 647
Watakabe, A., 407
Watanabe, H., 2246
Waterman, M.L., 2418
Watkins, J.F., 250
Weaver, D.T., 1755
Webber, A.L., 1663
Wedel, A.B., 2258
Weeks, J.R., 2329
Wei, Q., 2456
Weil, D., 2194
Weinberg, R.A., 2392
Weissman, I.L., 735
Welker, D.L., 986
Wensink, P.C., 42
White, E., 546, 2277
Whyte, P., 2366, 2392
Wiley, S.R., 2206
Willey, J., 895
Williams, B.D., 1471
Williams, C., 241
Williams, N.G., 621
Williams, R.E., 787
Wilson, D., 2120
Wims, M., 671
Windle, J.J., 1654
Wingrove, J.A., 1979
Winkes, B.M., 454
Wolff, T., 1377
Wolffe, A.P., 1725, 2033
Wood, W.B., 216
Woychik, R.P., 1203
Wrange, Ö., 2471
Wu, C.-L., 1850
Wu, L., 986
Wu, X., 1126
Xiong, W.-C., 1085
Xiong, Y., 1572
Yaginuma, K., 683
Yamano, K., 1059
Yamashita, S., 1033
Yan, H., 2149
Yanagida, M., 1059
Yang, X., 504
Yang, Y., 555
Yao, M.-C., 2357
Ye, Z.-S., 570
Yee, S.-P., 1277
Yeh, S.-H., 555
Yen, G., 974
Yeo, S., 504
Yokomori, K., 2235, 2587
Yoshida, T., 1059
Young, M.W., 1949
Young, P.E., 29
Yu, V.C., 913, 1423
Yuan, Y.-l.O., 1584
Zambryski, P., 904
Zawel, L., 1254
Zenke, M., 1097
Zhang, H., 1572
Zhao, J., 343
Zhou, P., 1824
Zhou, Q., 180
Zhou, S., 2587
Zhu, H., 1837
Zhu, L., 1111
Zierath, P.D., 1133
Zipkin, I.D., 1620
Zuo, F., 2206
Zupan, J.R., 904

Subject Index, Volume 7 (1993)

A

a1 homeo domain protein, *S. cerevisiae*, interaction with α2 (Mak and Johnson), 1862–1870
Abdominal-B homeotic selector gene, *Drosophila*, *ems* is downstream target gene (Jones and McGinnis), 229–240
ACA. *See* Adenyl cylase
Activation domain, *Drosophila* transcription factor NTF-1, isoleucine-rich (Attardi and Tjian), 1341–1353
Activation domain, of adenovirus large E1A protein, binding to holo-TFIID (Boyer and Berk), 1810–1823
Activation domain, of hLEF/TCF-1α is context-dependent (Carlsson et al.), 2418–2430
Active repression, by unliganded thyroid hormone receptor (TR) (Fondell et al.), 1400–1410
Activin, *Xenopus* mesoderm induction and *Xnot* induction (von Dassow et al.), 355–366
Adenosine triphosphate. *See* ATP type 5, E1A-induced stabilization of p53 (Lowe and Ruley), 535–545
Adenovirus
  E1A, p107 and pRB binding (Zhu et al.), 1111–1125
  E1A-associated proteins
    isolation of p130, new member of Rb gene family (Hannon et al.), 2378–2391
    p130 association with E2F transcription factor (Cobrinik et al.), 2392–2404
    p130, p107, pRb, and cyclins A and E (Li et al.), 2366–2377
  E1A and E1B oncogenes, transformation of primary rodent cells (Debbas and White), 546–554
  large E1A protein activation domain, interaction with holo-TFIID (Boyer and Berk), 1810–1823
Adenyl cyclase (ACA), *D. discoideum*, required for intracellular but not extracellular cAMP (Pitt et al.), 2172–2180
ADI, ATP-dependent TBP inhibitor (Auble and Hahn), 844–856
Adipose tissue mass, reduction of via targeted expression of toxin gene (Ross et al.), 1318–1324
Aerial mycelium formation, by *S. coelicolor* (Willey et al.), 895–903
Aggregation process, *D. discoideum* (Pitt et al.), 2172–2180
Agouti (*a*) mouse locus, lethal yellow (A^y) mutation (Michaud et al.), 1203–1213
Albino deletions (lethal), mice, animal model for HT1 (Kelsey et al.), 2285–2297
alf/hsdr-1 locus, relationship with Fah enzyme (Grompe et al.), 2298–2307; (Kelsey et al.), 2285–2297
Alloantigens, human, blood group i/I antigens (Bierhuizen et al.), 468–478
α mating type, yeast (Yuan et al.), 1584–1597
α-specific gene transcription, *S. cerevisiae*, signal induction mediated by STE12 (Yuan et al.), 1584–1597
α2 homeo domain protein, *S. cerevisiae*, interaction with a1 (Mak and Johnson), 1862–1870
Alternative RNA splicing
  affects dimerization of bHLH factor (Klein et al.), 55–71
  bovine growth hormone (bGH) pre-mRNA, promoted by SF2/ASF binding to exonic splicing enhancer (ESE) (Sun et al.), 2598–2600
Amino-end rule-dependent protein degradation, and RAD6 amino terminus (Watkins et al.), 250–261
AMT1 transcription factor, *C. glabrata*, autoregulation of (Zhou and Thiele), 1824–1835
Ankyrin-like domain, within bHLH protein (Klein et al.), 55–71
Antennapedia (*Antp*), *Drosophila*, functional specificity of protein (Chan and Mann), 796–811
Anterior–posterior (A/P) axis, *C. elegans* HOM-C genes role in patterning (Salser et al.), 1714–1724
Antigen receptor repertoire, and coding end sequence (Gerstein and Lieber), 1459–1469
Antineurogenic phenotypes, induced by truncated *Drosophila* Notch proteins (Lieber et al.), 1949–1965
Antisense RNA, and translational switch (Ranade and Poteete), 1498–1507
Antitermination of transcription, *E. coli*, NusG–ρ interaction (Li et al.), 161–172
Antp. *See Antennapedia*
AP-1 transcription factors, c-*jun* null mutation, embryonic lethality and retarded cell growth (Johnson et al.), 1309–1317
A/P. *See* Anterior–posterior
Apoptosis
  involvement of p53 tumor suppressor protein (Lowe and Ruley), 535–545
  p53-dependent, inhibited by E1B (Debbas and White), 546–554; (White), 2277–2284 Meeting Review
  see also Programmed cell death
Arabidopsis
  HAT4 gene, encodes homeo domain–leucine zipper (HD–Zip) protein (Schena et al.), 367–379
  pollen–stigma interactions, disruption of cell signaling (Preuss et al.), 974–985
Aristaless (*al*) prd-type homeo box gene, *Drosophila* (Schneitz et al.), 114–129
ATF/CREB family, dimerization studies (Vinson et al.), 1047–1058
ATP
  -binding proteins, *E. coli*, ABC family of transport proteins (Siegele and Kolter), 2629–2640
  -dependent inhibition, of TBP binding to DNA (Auble and Hahn), 844–856
  role in yeast spliceosome assembly (Ruby et al.), 1909–1925
  S. cerevisiae pre-mRNA splicing, final step is independent of (Horowitz and Abelson), 320–329
ATPase activity, of yeast SNF2/SWI2 protein, stimulated by DNA (Laurent et al.), 583–591
Autoregulation, of *C. glabrata* metalloregulatory factor (Zhou and Thiele), 1824–1835
Autoregulatory feedback loop
  NF-κB p65 subunit and IκB (Scott et al.), 1266–1276
  p53–mdm-2 (Wu et al.), 1126–1132
Axial gene expression, zebrafish embryos (Strähle et al.), 1436–1446
Axial identity, specification of in developing mouse embryos, role of *Hoxa-5* (*Hox1.3*) gene (Jeannotte et al.), 2085–2096
Axis formation, mouse embryo, *Brachyury* (*T*) gene (Stott et al.), 197–203
Axonal projections, and *Drosophila irreC–rst* locus (Ramos et al.), 2533–2547

B

B-cell
  development, and Oct-2 POU homeo domain transcription factor (Corcoran et al.), 570–582
  differentiation, characterization of early B-cell factor (EBF) (Hagman et al.), 760–773
B-lymphoid cells, NF-κB p65 subunit (Scott et al.), 1266–1276
B-type cyclins, *S. cerevisiae*, DNA replication (Schwob and Nasmyth), 1160–1175

BacA inner membrane protein, required for *Rhizobium* bacteroid development, homologous to *E. coli* SbmA (Glazebrook et al.), 1485–1497
Bacillus subtilis
endospore formation and activation of Spo0A transcription factor, integration of multiple developmental signals (Ireton et al.), 283–294
SinR activity, regulated by SinI (Bai et al.), 139–148
Bacteriophage P22, superinfection synthesizes antisense RNA that mediates translational switch (Ranade and Poteete), 1498–1507
Bacteroid development, *R. meliloti*, *bacA* gene (Glazebrook et al.), 1485–1497
bagpipe (*bap*) homeo box gene, *Drosophila*, cell fate determination in dorsal mesoderm (Azpiazu and Frasch), 1325–1340
Basal transcription
no role for TFIIA (Ma et al.), 2246–2257
Xenopus oocytes, repressed by replication-coupled chromatin assembly (Almouzni and Wolffe), 2033–2047
Basement membrane proteoglycan (mammalian), *C. elegans unc-52* gene encodes nematode homolog of (Rogalski et al.), 1471–1484
bcl-3 candidate proto-oncogene, gene product BCL-3 is transcriptional coactivator (Fujita et al.), 1354–1363
β-1, 6-*N*-acetylglucosaminyltransferase gene family, human, I-branching enzyme is member of (Bierhuizen et al.), 468–478
β-globin
chromatin, chick, GATA-1 and NF-E4 activated (Barton et al.), 1796–1809
locus control region (LCR), developmental specificity of (Fraser et al.), 106–113
bHLH protein
and myogenin gene regulation (Yee and Rigby), 1277–1289
splicing affects dimerization of (Klein et al.), 55–71
bHLH transcription factors, *Drosophila* sex determination, collaboration with bZIP proteins (Erickson and Cline), 1688–1702
bHLHZip proteins, Mad, Max, and Myc families, hetero- and homodimer complexes (Ayer and Eisenman), 2110–2119
Blood group i/I antigens, changes during human development (Bierhuizen et al.), 468–478
BMP-2 growth factor, TGF-β superfamily member, role in hair follicle development of transgenic mice (Blessing et al.), 204–215
BMP-4, TGF-β superfamily member, role in hair follicle development of transgenic mice (Blessing et al.) 204–215
Bovine growth hormone (bGH) premRNA, SF2/ASF binding to ESE promotes alternative splicing (Sun et al.), 2598–2600
Brachyury (*T*) mouse gene, phenotypic rescue of (Stott et al.), 197–203
BSAP (Pax-5) transcription factor, paired domain–DNA interaction (Czerny et al.), 2048–2061
Budding yeast, FAR1 regulation and Start transition (McKinney et al.), 833–843
bZIP proteins
dimerization specificity of leucine zipper (Vinson et al.), 1047–1058
Drosophila Sisterless-a, sex determination (Erickson and Cline), 1688–1702
bZIP transcription factors, DPB regulation of C7αH circadian expression (Lavery and Schibler), 1871–1884

C

c-*fos* promoter, YY1 DNA-binding protein regulates activity via effect on DNA structure (Natesan and Gilman), 2497–2509
c-Jun
activity, repressed by JunB (Deng and Karin), 479–490
protein kinase JNK potentiates activation domain (Hibi et al.), 2135–2148
c-*jun*
locus, null mutation causes embryonic lethality and retarded cell growth in mice (Johnson et al.), 1309–1317
proto-oncogene, null mutation causes embryonic lethality (Johnson et al.), 1309–1317
c-*myc* function, as analyzed by c-*myc* mutant ES cell lines (Davis et al.), 671–682
C-signaling, *M. xanthus*, spore differentiation (Sager and Kaiser), 1645–1653
C/EBP-like protein NF-M, in combination with Myb protein forms bipartite myeloid signal (Ness et al.), 749–759
Caenorhabditis elegans
CNS cell fates, HOM-C gene interactions (Salser et al.), 1714–1724
migration gene *egl-43* (Garriga et al.), 2097–2109
mRNA surveillance by *smg* genes (Pulak and Anderson), 1885–1897
programmed cell death (White), 2277–2284 Meeting Review
sex determination, *her-1* gene (Perry et al.), 216–228
Tc*1* transposase, characterization of (Vos et al.), 1244–1253
unc-52 gene encodes basement membrane proteoglycan (Rogalski et al.), 1471–1484
vulval signaling pathway (Miller et al.), 933–947
Calcium signaling, regulates Jun activity (Ullman et al.), 188–196
cAMP
intracellular and extracellular, role in *D. discoideum* cell differentiation (Pitt et al.), 2172–2180
-mediated signal transduction, and *Drosophila* development (Lane and Kalderon), 1229–1243
phosphodiesterase (PDE), *Drosophila*, and *dunce* (*dnc*) learning/memory gene (Qiu and Davis), 1447–1458
receptor gene famiies, *Dictyostelium* (Saxe et al.), 262–272
receptor subtype, cAR3, *Dictyostelium* multicellular stage (Johnson et al.), 273–282
Cancer. *See* Human cancer
Candida glabrata, copper detoxification, autoregulation of metalloregulatory factor (Zhou and Thiele), 1824–1835
CAR2 cAMP receptor gene, *D. discoideum*, role in late development of (Saxe et al.), 262–272
cAR3 cAMP receptor subtype, *Dictyostelium* multicellular stage (Johnson et al.), 273–282
Carboxy-terminal
dimerization interface, differential orientations of (Kurokawa et al.), 1423–1435
repeat domains (CTDs), of RNA polymerases IIA/IIO, phosphorylation of (Weeks et al.), 2329–2344
tail, of *S. cerevisiae* α2 protein (Mak and Johnson), 1862–1870
Catalytic RNA molecules, ribozymes, substrate selection rules (Joseph et al.), 130–138
Caulobacter, pole-specific gene expression, regulated by phosphorylation of transcriptional activator (FlbD) (Wingrove et al.), 1979–1992
Cdc28 protein kinase
interaction with Cks1 in *S. cerevisiae* (Tang and Reed), 822–832
S. cerevisiae, association with cyclins

(Schwob and Nasmyth), 1160–1175
Cell cycle
Caulobacter, polar localization of gene products (Wingrove et al.), 1979–1992
gene product. *See* Human cell cycle gene (CCG1) product
mice, G_1 phase control by D-type cyclins (Quelle et al.), 1559–1571
progression
association of E2F with p130 (Cobrinik et al.), 2392–2404
role of cyclin D1 in G_1/S transition (Baldwin et al.), 812–821
regulators, *cdc25*$^+$ and *wee1*$^+$ (Kinoshita et al.), 1059–1071
transition, *S. cerevisiae*, Cks1 functions at multiple points (Tang and Reed), 822–832
Cell death (programmed), apoptosis (White), 2277–2284 Meeting Review
Cell differentiation
Dictyostelium discoideum, roles of cAMP (Pitt et al.), 2172–2180
monocyte/macrophage differentiation (Ayer and Eisenman), 2110–2119
Cell division cycle, alteration of cyclin-dependent kinases in oncogenically transformed cells (Xiong et al.), 1572–1583
Cell fate
C. elegans CNS, HOM-C gene interactions (Salser et al.), 1714–1724
determinate vs. indeterminate, role of KN1 (Sinha et al.), 787–795
Drosophila dorsal mesoderm, homeo box genes *tinman* and *bagpipe* (Azpiazu and Frasch), 1325–1340
Drosophila embryonic ectoderm, ventral development requires EGF receptor homolog DER (Raz and Shilo), 1937–1948
Drosophila eye development, role of *ttk* transcriptional repressor (Xiong and Montell), 1085–1096
Cell growth
regulation, and nucleolar oncoprotein LYAR (Su et al.), 735–748
retardation of in c-*jun* mutant mice (Johnson et al.), 1309–1317
role of proto-oncogene c-*jun* (Johnson et al.), 1309–1317
Cell identity, coupling of (Yuan et al.), 1584–1597
Cell interactions, *C. elegans* sex determination (Perry et al.), 216–228
Cell migration, *C. elegans*, HSN motor neuron regulation by *egl-43* gene (Garriga et al.), 2097–2109
Cell proliferation
inhibition of by p107 and pRB (Zhu et al.), 1111–1125
role of cyclin D1 (Baldwin et al.), 812–821
Cell–cell interactions, pollen–stigma interactions in *Arabidopsis* (Preuss et al.), 974–985
Cell-cycle regulation, retinoblastoma protein interactions (Durfee et al.), 555–569
Cell-signaling pathway, *lin-31* regulates *C. elegans* vulval cell lineages (Miller et al.), 933–947
Cellular growth regulation, p53 (Bargonetti et al.), 2565–2574; (Pavletich et al.), 2556–2564; (Wang et al.), 2575–2586
Cellular protein p107, as compared with retinoblastoma protein pRB (Zhu et al.), 1111–1125
Cellular transcriptional repressors (IBPs), of SV40–MLP (Wiley et al.), 2206–2219
Central nervous system development, *Drosophila*, role of POU homeo domain gene (Yang et al.), 504–516
Chemical nuclease, conversion of HU protein (Lavoie and Chaconas), 2510–2519
Chick, β-globin chromatin, GATA-1 and NF-E4 activated (Barton et al.), 1796–1809
Chimeric proteins, WntCD4 and WntCD8, transmembrane activity (Parkin et al.), 2181–2193
Chinese hamster cells, DHFR gene, chromatid fusion initiates amplification (Ma et al.), 605–620
Cholesterol homeostasis, DPB regulation of C7αH circadian expression (Lavery and Schibler), 1871–1884
Chromatid fusion, initiates gene amplification (Ma et al.), 605–620
Chromatin
assembly, *Xenopus* oocytes, coupled to replication represses basal transcription (Almouzni and Wolffe), 2033–2047
chick β-globin gene (Barton et al.), 1796–1809
nuclear, factor access in (Jenuwein et al.), 2016–2032
spreads, terminal balls of (Mougey et al.), 1609–1619
structure
and HMG proteins (Paull et al.), 1521–1534
biochemical analysis (Kamakaka et al.), 1779–1795
structure, yeast, affected by SNF2 ATPase activity (Laurent et al.), 583–591
transcriptionally competent state in *T. thermophila*, histone H2A variant hv1 (Stargell et al.), 2641–2651
Chromosomal replication origins, *S. cerevisiae*, role of MCM2 and MCM3 proteins in initiation of DNA synthesis (Yan et al.), 2149–2160
Chromosome breaks, repair by new telomere formation (Kramer and Haber), 2345–2356
Chromosome elongation, *Tetrahymena* telomerase (Collins and Greider), 1364–1376
Ciliates
E. crassus
circle junctions of IESs (Klobutcher et al.), 84–94
Tec element excision (Jaraczewski et al.), 95–105
internal DNA deletion (Godiska et al.), 2357–2365
T. thermophila nuclear development, hv1 association with transcriptionally competent chromatin (Stargell et al.), 2641–2651
Circadian transcription, of rat cholesterol 7α hydroxylase (C7αH) gene, DBP regulation (Lavery and Schibler), 1871–1884
Circular DNA, *E. crassa* excised DNA (Klobutcher et al.), 84–94
Cks1, multiple functions of in cell cycle transitions (Tang and Reed), 822–832
Cloning
of human TFIIA α subunit (Ma et al.), 2246–2257
of human TFIIA p35 and p19 subunits (DeJong and Roeder), 2220–2234
Coat color, mice, agouti and lethal yellow (Miller et al.), 454–467
Coding end sequence, and V(D)J recombination (Gerstein and Lieber), 1459–1469
Coiled-coil domains, and subcellular localization of HSF2 (Sheldon and Kingston), 1549–1558
Cold sensitivity, and ribosome assembly (Dammel and Noller), 660–670
Conditional alleles, of GATA-1, GATA-2, and GATA-3 (Briegel et al.), 1097–1109
Context-dependent activation, hLEF/TCF-1αs activation domain (Carlsson et al.), 2418–2430
Cooperative dimerization, of homeo domains (Wilson et al.), 2120–2134
Cooperative DNA binding, p53 and TFIID subunit TBP to DNA (Chen et al.), 1847–1849
Cooperativity constant, binding of NTRC protein to *glnA* enhancer (Porter et al.), 2258–2273
Copper detoxification, *C. glabrata*, autoregulation of metalloregulatory factor (Zhou and Thiele), 1824–1835

Cosuppression, of petunia pMADS1 gene (van der Krol et al.), 1214–1228
Cross-linking, of U1 snRNP to 3′-terminal exons (Wasserman and Steitz), 647–659
CTD. *See* Carboxy-terminal repeat domains
Cyclic AMP. *See* cAMP
Cyclin D–pRb interactions (Kato et al.), 331–342
Cyclin D1 nuclear protein, role in G_1/S-phase transition (Baldwin et al.), 812–821
Cyclin-dependent kinases (CDKs)
  identification of proteins that interact with them (Hannon et al.), 2378–2391
  alteration of in oncogenically transformed cells (Xiong et al.), 1572–1583
Cyclins, interacation with Rb protein (Hannon et al,), 2378–2391
Cyclins A and E, interaction with E1A-associated p130 and p107 proteins (Li et al.), 2366–2377
cyclops mutant embryos, zebrafish, altered expression of Axial (Strähle et al.), 1436–1446
Cyclosporin A-sensitive mechanism, calcium triggered, and Jun activity (Ullman et al.), 188–196
Cys/His zinc finger gene family, Zn-15 is novel member critical for GH gene expression (Lipkin et al.), 1674–1687
Cytochrome *d* oxidase, production of in *E. coli* (Siegele and Kolter), 2629–2640
Cytochrome oxidase genes, NRF-2 activation of (Virbasius et al.), 380–392

D

D-type cyclins, mice, rate limiting for G_1 phase of cell cycle (Quelle et al.), 1559–1571
DBP bZIP transcription factor, regulation of C7αH circadian expression (Lavery and Schibler), 1871–1884
Deadenylation, yeast mRNAs (Decker and Parker), 1632–1643
Decapentaplegic (*dpp*) *Drosophila* gene expression, interplay between enhancer and silencer elements fine-tune expression (Huang et al.), 694–704
DER (EGF receptor homolog), required for *Drosophila* ventral ectoderm development (Raz and Shilo), 1937–1948
Developmental regulation, human β-globin, HS regions of LCR (Fraser et al.), 106–113
Developmental signals, *B. subtilis* Spo0A activation, phospho-relay (Ireton et al.), 283–294
Dictyostelium discoideum
  cAMP receptor subtype cAR3 (Johnson et al.), 273–282
  development, G-protein β-subunit (Lilly et al.), 986–995
  development regulated by sequentially expressed cAMP receptors (Saxe et al.), 262–272
  rescue of *aca*⁻ by extracellular cAMP (Pitt et al.), 2172–2180
Differential gene regulation, Oct-1 and Oct-2 (Cleary et al.), 72–83
Differentiation, of *M. xanthus* spores (Sager and Kaiser), 1645–1653
Digital imaging, identification of differentially phosphorylated forms of RNA Pol II (Weeks et al.), 2329–2344
Dihydrofolate reductase (DHFR) gene, Chinese hamster cells, chromatid fusion initiates amplification (Ma et al.), 605–620
Dimerization
  interfaces, within DNA-binding domains (Perlmann et al.), 1411–1422
  specificity
    of bZIP leucine zipper (Vinson et al.), 1047–1058
    of myogenic bHLH DNA-binding factors, directed by hydrophilic residues (Shirakata et al.), 2456–2470
Direct repeats, and receptor activation (Perlmann et al.), 1411–1422
disabled (*dab*) *Drosophila* gene, genetic modifier of *abl* gene (Gertler et al.), 441–453
DNA amplification, *Sciara* DNA puff loci, replication origin (Liang et al.), 1072–1084
DNA bending
  in c-*fos* promoter induced by YY1 (Natesan and Gilman), 2497–2509
  domains, in *C. elegans* Tc*1* transposase (Vos et al.), 1244–1253
  HU promoted in Mu transpososome (Lavoie and Chaconas), 2510–2519
  mediated by HMG1 and HMG2 (Paull et al.), 1521–1534
DNA-binding
  activity, of σ-factors (Dombroski et al.), 2446–2455
  dimerization motifs, JunB and c-Jun (Deng and Karin), 479–490
  domain
    of murine p53 (Wang et al.), 2575–2586
    of nuclear receptors, dimer interactions within (Perlmann et al.), 1411–1422
    of *Oxytricha* telomere-binding protein (Fang and Cech), 870–882
  polarity and orientation of (Kurokawa et al.), 1423–1435
  of p53
    central conserved portion and coincides with major mutation hot spots (Pavletich et al.), 2556–2564
    central conserved region and site of major mutations (Bargonetti et al.), 2565–2574
  factors, HLH domains (Shirakata et al.), 2456–2470
  motif
    paired domain of transcription factor BSAP (Pax-5) (Czerny et al.), 2048–2061
    POU domain factors, spacing and orientation of bipartite DNA sites as functional determinants (Li et al.), 2483–2496
  protein
    bZIP class (Vinson et al.), 1047–1058
    characterization of early B-cell factor (Hagman et al.), 760–773
    Drosophila dl protein, repression of *dpp* (Huang et al.), 694–704
    Ets family of (Shin and Koshland), 2006–2015
    identification of site-specific HU-binding site (Lavoie and Chaconas), 2510–2519
    new class represented by NRF-1, P3A2, and EWG (Virbasius et al.), 2431–2445
    YY1 function and DNA bending in c-*fos* promoter (Natesan and Gilman), 2497–2509
DNA breaks, double-stranded signal sequence breaks in *V(D)J* recombination, 5′-phosphorylated, RAG-dependent, and cell cycle regulated (Schlissel et al.), 2520–2532
DNA elimination, *E. crassus* (Jaraczewski et al.), 95–105
DNA excision, *E. crassus* macronuclear development, circle junctions of IESs (Klobutcher et al.), 84–94
DNA footprinting, site-specific footprint of sequence-independent DNA-binding protein (HU) (Lavoie and Chaconas), 2510–2519
DNA methylation, and imprinted genes (Bartolomei et al.), 1663–1673
DNA rearrangements, *Tetrahymena*, programmed DNA deletion (Godiska et al.), 2357–2365
DNA repair
  recombination complex, *S. cerevisiae* Rad52–Rad51 interaction (Milne and Weaver), 1755–1765
  and *S. cerevisiae RAD6* gene (Watkins et al.), 250–261
DNA replication
  and gene activation (Kamakaka et al.), 1779–1795

S. cerevisiae
B cyclins (Schwob and Nasmyth), 1160–1175
role of MCM2 and MCM3 protein in initiation of DNA synthesis (Yan et al.), 2149–2160
DNA structure
DNA bending of c-*fos* promoter (Natesan and Gilman), 2497–2509
spacing and orientation of bipartite DNA-binding motifs (Li et al.), 2483–2496
triplex formation in *E. coli* (Kohwi and Panchenko), 1766–1778
DNA synthesis, coupled to chromatin assembly process in *Xenopus* oocytes (Almouzni and Wolffe), 2033–2047
DNA tumor viruses, SV40, early-to-late shift in transcription (Wiley et al.), 2206–2219
DNA–protein interactions. *See also* Protein–DNA interactions
DNA–TBP binding, ADI inhibits in ATP-dependent manner (Auble and Hahn), 844–856
dnc. *See dunce*
Dominant negative alleles, *S. cerevisiae RAD52* (Milne and Weaver), 1755–1765
Dominant-negative regulation, extinction of TAT gene in somatic cell hybrids (Nitsch et al.), 308–319
dorsal (*dl*) morphogen
dpp repression (Huang et al.), 694–704
HLH protein interactions, differentiation of embryonic mesoderm and neuroectoderm (González-Crespo and Levine), 1703–1713
Dorsal mesoderm, *Drosophila*, cell fate determination (Azpiazu and Frasch), 1325–1340
Dorsal–ventral polarity, *Drosophila* embryonic ectoderm, ventralizing effect of DER (Raz and Shilo), 1937–1948
Dorsoventral axis formation, *Drosophila* oogenesis, role of *squid* (*sqd*) gene (Kelley), 948–960
Dorsoventral patterning, *Xenopus* (Sive), 1-12 Review; (Christian and Moon), 13–28
Double-strand break (DSB) repair, *S. cerevisiae* Rad52 protein (Milne and Weaver), 1755–1765
Doublesex proteins, *Drosophila*, sex-specific transcriptional regulation of yolk protein genes (Coschigano and Wensink), 42–54
dpp signaling pathway, *Drosophila* dorsalizing cell fate (Raz and Shilo), 1937–1948
Drosophila melanogaster
abl tyrosine kinase function, dosage-sensitive modifiers of (Gertler et al.), 441–453
alternative RNA splicing of bHLH factor (Klein et al.), 55–71
antineurogenic activity from truncated Notch proteins (Lieber et al.), 1949–1965
aristaless prd-type homeo box gene (Schneitz et al.), 114–129
development, cAMP-mediated signal transduction (Lane and Kalderon), 1229–1243
dorsal mesoderm, cell fate determination (Azpiazu and Frasch), 1325–1340
dpp gene, interplay between enhancer and silencer elements fine-tune expression (Huang et al.), 694–704
embryo, cell fate, role of $p21^{ras}$/Ras1 in torso signaling (Lu et al.), 621–632
embryonic mesoderm and neuroectoderm differentiation, dorsal (dl)–HLH interactions (González-Crespo and Levine), 1703–1713
embryos, signal transduction, Ras-1 and Sos function in Torso pathway (Doyle and Bishop), 633–646
eye development, *tramtrack* (*ttk*) locus and cell fate (Xiong and Montell), 1085–1096
homeo domain protein, Eve (Han and Manley), 491–503
homeotic gene regulation and Polycomb group (Fauvarque and Dura), 1508–1520
homeotic genes, in vivo functional specificity of proteins (Chan and Mann), 796–811
homeotic selector gene *Abd-B*, regulation of downstream target gene ems (Jones and McGinnis), 229–240
imaginal disc, pattern formation and protein phosphatase 2A (Uemura et al.), 429–440
learning/memory *dunce* (*dnc*) gene, genetic dissection of structurally complex gene (Qiu and Davis), 1447–1458
maternal effect gene *torso-like* (*tsl*) (Savant-Bhonsale), 2548–2555
modifier genes, *su(f)*, homology to *S. cerevisiae* RNA14 (Mitchelson et al.), 241–249
molecular characterization of *irreC–roughest* locus (Ramos et al.), 2533–2547
morphogenesis, nonmuscle myosin heavy chain function (Young et al.), 29–41
mRNA, sequence-specific endonucleotic cleavage and protection of (Brown et al.), 1620–1631
oogenesis, dorsoventral axis formation, role of *squid* (*sqd*) gene (Kelley), 948–960
p230, TFIID subunit, functional homolog to human CCG1 (Kokubo et al.), 1033–1046
peripheral neurogenesis (Ghysen et al.), 723–733 Review
POU homeo domain gene, specifies CNS precursor cell fate (Yang et al.), 504–516
rhomboid (*rho*) gene, mediates wing vein formation and interacts with EGF-R signaling pathway (Sturtevant et al.), 961–973
Sex combs reduced (*Scr*) gene, mouse *Hox-1.3* gene functionally substitutes for (Jiagang et al.), 343–354
sex determination, bZIP protein homolog encoded by *sis-a* gene (Erickson and Cline), 1688–1702
structural conservation of *su(Hw)* in different species (Harrison et al.), 1966–1978
TFIIA large subunit (dTFIIA-L), molecular cloning and properties of (Yokomori et al.), 2235–2245
TFIID, $dTAF_{II}30\alpha$ and $dTAF_{II}30\beta$ subunits (Yokomori et al.), 2587–2597
tissue-specific transcription factor NTF-1, isoleucine-rich activation domain (Attardi and Tjian), 1341–1353
ventral ectoderm development, EGF receptor homolog DER required (Raz and Shilo), 1937–1948
visualizing RNA Pol IIA and Pol II0 in situ (Weeks et al.), 2329–2344
DSB. *See* Double-strand break
dunce (*dnc*) learning/memory gene, *Drosophila*, genetic dissection of structurally complex gene (Qiu and Davis), 1447–1458
Dwarfism, in mice, and retinoblastoma gene (Bignon et al.), 1654–1662

E

E complex, mammalian, association of 5′ and 3′ splice sites (Michaud and Reed), 1008–1020
E1A oncogene, adenovirus, induction of adoptosis (Debbas and White), 546–554
E1A. *See also* Adenovirus E1A-associated proteins
E1B oncogene, adenovirus, inhibition of p53-dependent apoptosis (Debbas and White), 546–554
E2F transcription factor, association with p130 E1A-associated protein (Cobrinik et al.), 2392–2404
E2F-1/DP-1 heterodimerization, cooper-

ative *trans*-activation (Helin et al.), 1850–1861
E2F-mediated transcription, inhibition by pRB and p107 (Zhu et al.), 1111–1125
Early B-cell factor (EBF), novel regulator of B lymphocyte-specific gene expression (Hagman et al.), 760–773
Early regions 1A and 1B (E1A and E1B), human adenovirus 5 (Lowe and Ruley), 535–545
Ectopic expression, of *Drosophila tsl* maternal effect gene (Savant-Bhonsale), 2548–2555
EGF. *See* Epidermal growth factor
egl-43 cell migration gene, *C. elegans*, encodes two zinc finger proteins (Garriga et al.), 2097–2109
Elastase gene, transcriptional enhancer, bifunctional element of (B element) (Kruse et al.), 774–786
Elongation, chromosome, *Tetrahymena* telomerase (Collins and Greider), 1364–1376
Embryogenesis, mouse, regulation of myogenin gene (Yee and Rigby), 1277–1289
Embryonic growth, mice, role of pleiotropic hormone IGF-I (Powell-Braxton et al.), 2609–2617
Embryonic lethality
  c-*jun* mutant mice (Johnson et al.), 1309–1317
  mice
    homozygous lethal *yellow* (A^y) mutation (Michaud et al.), 1203–1213
    mK8 deficiency (Baribault et al.), 1191–1202
Embryonic mesoderm, *Drosophila*, dorsal (dl)–HLH interactions (González-Crespo and Levine), 1703–1713
Empty spiracles (*ems*) homeo box gene, *Drosophila*, downstream target gene of *Abd-B* (Jones and McGinnis), 229–240
Endocrine tissue, pancreas, common developmental origin with exocrine tissue (Kruse et al.), 774–786
Endonucleolytic cleavage, *Xenopus* and *Drosophila* mRNA (Brown et al.), 1620–1631
Enhancer
  bifunctional element within pancreas-specific elastase gene (Kruse et al.), 774–786
  element, of *Drosophila dpp* gene, interaction with silencer elements (Huang et al.), 694–704
  enhancer of splicing (SE element) in fibronectin alternate ED1 exon, splice site selection (Lavigueur et al.), 2405–2417
  function, immunoglobulin μ enhancer core, role in nuclear chromatin factor access (Jenuwein et al.), 2016–2032
  fat body (FBE), *Drosophila* yolk protein genes (Coschigano and Wensink), 42–54
  glnA gene, oligomerization of NTRC protein required for transcriptional activation (Porter et al.), 2258–2273
  of mouse *pit-1* gene (Rhodes et al.), 913–932
  TCRα enhancer in T cells, activation of (Carlsson et al.), 2418–2430
Enteric bacteria, oligomerization of NTRC at the *glnA* enhancer (Porter et al.), 2258–2273
Epidermal growth factor (EGF)
  receptor homolog, DER, required for *Drosophila* ventral ectoderm development (Raz and Shilo), 1937–1948
  receptor tyrosine kinase pathway, *Drosophila* embryo (Doyle and Bishop), 633–646
ERS. *See* Exon recognition system
Erythrocyte development, human fetal/adult (Bierhuizen et al.), 468–478
Erythroid
  differentiation, role of individual GATA transcription factors (Briegel et al.), 1097–1109
  protein cGATA-1, activates β-globin chromatin along with NF-E4 (Barton et al.), 1796–1809
ES cell lines, c-*myc* homozygous and heterozygous mutants (Davis et al.), 671–682
Escherichia coli, HU protein (Lavoie and Chaconas), 2510–2519
  outer membrane proteins (OMP), expression modulates activity of σ^E (Mecsas et al.), 2618–2628
  RNA polymerase, σ^{70} subunit of (Makino et al.), 149–160
  SbmA antibiotic transport protein, *Rhizobium* BacA is homologous to (Glazebrook et al.), 1485–1497
  surB1 mutant defective in resuming growth after starvation (Siegele and Kolter), 2629–2640
  termination and antitermination of transcription, NusG–ρ interaction (Li et al.), 161–172
  transcription factor FNR and oxygen availability (Lazazzera et al.), 1993–2005
  transcription-induced intramolecular triplex formation (Kohwi and Panchenko), 1766–1778
ESE. *See* Exonic splicing enhancer
ETS domain activator, cellular role in activation of nuclear genes specifying mitochondrial respiratory function (Virbasius et al.), 380–392
Ets oncoprotein family, PU.1 transcription factor is identical to NF-JB (Shin and Koshland), 2006–2015
Ets transcription factors, function of in lymphoid cells (Shin and Koshland), 2006–2015
Eukaryotic transcription factor, TBP (Hernandez), 1291–1308 Review
Euplotes crassus
  circle junctions of IESs (Klobutcher et al.), 84–94
  Tec element excision (Jaraczewski et al.), 95–105
Even-skipped (Eve) protein, *Drosophila*, transcriptional repression by (Han and Manley), 491–503
Evolutionary conservation
  cleavage and protection of mRNA (Brown et al.), 1620–1631
  comparison of vertebrate and hypotrichous ciliate telomeres (Cardenas et al.), 883–894
  Dictyostelium G-protein β-subunit is homologous to human, *Drosophila* and *C. elegans* β-subunits (Lilly et al.), 986–995
  functional domains of *Drosophila su(Hw)* protein (Harrison et al.), 1966–1978
  mouse *Hox-1.3* and *Drosophila Src* are functionally equivalent (Jiagang et al.), 343–354
  RAD6 gene (Watkins et al.), 250–261
  region in GH promoter (Lipkin et al.), 1674–1687
  rRNA processing complexes (Mougey et al.), 1609–1619
  zinc finger *Krox20* gene (Swiatek and Gridley), 2071–2084
Exclusion systems, bacteriophage 22 (Ranade and Poteete), 1498–1507
Exocrine tissue, pancreas, common developmental origin with endocrine tissue (Kruse et al.), 774–786
Exon recognition sequence (ERS), role in splice site selection (Watakabe et al.), 407–418
Exonic splicing enhancer (ESE), of bovine growth hormone (bGH), SF2/ASF binding promotes alternative splicing (Sun et al.), 2598–2600
Export signals, of pre-U1 snRNA in *X. laevis* (Terns et al.), 1898–1908
Extinction, of tyrosine aminotransferase (TAT) gene activity in somatic cell hybrids (Nitsch et al.), 308–319
Extracellular cAMP, *D. discoideum* development (Johnson et al.), 273–282; (Saxe et al.), 262–272

Eye development, *Drosophila*,
irregular chiasm C–roughest (*irreC-rst*) locus (Ramos et al.), 2533–2547
role of transcriptional repressor *ttk* (Xiong and Montell), 1085–1096

F

Factor access, in nuclear chromatin (Jenuwein et al.), 2016–2032
Factor/response element recognition, modulated by translational positioning of nucleosome (Li and Wrange), 2471–2482
FAH and Fah. *See* Fumarylacetoacetate hydrolase
FAR1 regulation, budding yeast cell cycle Start (McKinney et al.), 833–843
Fat body enhancer (FBE), of *Drosophila* yolk protein genes (Coschigano and Wensink), 42–54
Fetal/adult human erythrocytes, i/I antigen conversion (Bierhuizen et al.), 468–478
Fibroblast growth factor (FGF), *Xenopus* mesoderm induction and *Xnot* induction (von Dassow et al.), 355–366
Fibronectin (human), alternate ED1 exon, splicing enhancer in and splice site selection (Lavigueur et al.), 2405–2417
Fission yeast, ppa2 phosphatase, mitotic role of (Kinoshita et al.), 1059–1071
Flagellar promoters, *Caulobacter*, temporal and spatial transcription of (Wingrove et al.), 1979–1992
FlbD transcriptional activator, phosphorylation of regulates pole-specific gene expression (Wingrove et al.), 1979–1992
Floor plate, cyclops mutant embryos, Axial gene expression (Strähle et al.), 1436–1446
FNR transcription factor, *E. coli*, activity regulated by oxygen availability (Lazazzera et al.), 1993–2005
fork head (*fkh*) *Drosophila* gene, activated by mouse *Hox-1.3* (Jiagang et al.), 343–354
fork head/HNF3 gene family, *Axial* gene expression in zebrafish embryos (Strähle et al.), 1436–1446
FRGY2 Y box-protein, *X. laevis*, role in transcription and translation (Ranjan et al.), 1725–1736
Fumarylacetoacetate hydrolase (Fah), loss of function, neonatal defects found in lethal albino mice (Grompe et al.), 2298–2307
Fumarylacetoacetate hydrolase (*Fah*) gene, disruption of and lethal mice albino phenotype (Kelsey et al.), 2285–2297

G

G-protein β-subunit, essential for *Dictyostelium* development, homology to human, *Drosophila*, and *C. elegans* β-subunits (Lilly et al.), 986–995
GAL1 S. cerevisiae gene, activation of (Axelrod et al.), 857–869
GAL4 transcriptional activator protein, disruption of repressing nucleosome during GAL1 transcriptional activation (Axelrod et al.), 857–869
Gal4–VP16 transcriptional activator, replication-dependent mechanism (Kamakaka et al.), 1779–1795
γF-crystallin gene expression, regulation by retinoic acid (RA) (Tini et al.), 295–307
Gastrula organizing region, *Xenopus* embryo, novel *Xnot* homeo box gene (von Dassow et al.), 355–366
GATA transcription factors, role in erythroid differentiation (Briegel et al.), 1097–1109
Gene activation, and DNA replication (Kamakaka et al.), 1779–1795
Gene amplification, initiated by chromatid fusion (Ma et al.), 605–620
Gene rearrangement, *V(D)J* recombination (Schlissel et al.), 2520–2532
Gene regulation, and dimerization specificity (Shirakata et al.), 2456–2470
Gene targeting, of c-*myc* in ES cells (Davis et al.), 671–682
Genetic modifiers (dosage-sensitive), of *Drosophila abl* tyrosine kinase function, *pros* and *dab* (Gertler et al.), 441–453
glnA gene, transcriptional activation, oligomerization of NTRC at the enhancer (Porter et al.), 2258–2273
Glucocorticoid receptor (GR), affinity to glucocorticoid response element (GRE) and nucleosomal positioning (Li and Wrange), 2471–2482
Glucocorticoid reponse element (GRE), translational positioning of nucleosome modulates GR affinity (Li and Wrange), 2471–2482
GR. *See* Glucocorticoid receptor
GRE. *See* Glucocorticoid response element
Growth
dwarfism in mice and RB gene (Bignon et al.), 1654–1662
inhibition, and transforming growth factors β (TGFs-β) (Pierce et al.), 2308–2317
phase, *E. coli*, transition from stationary phase (Siegele and Kolter), 2629–2640
suppression, by pRB and p107 (Zhu et al.), 1111–1125
Growth hormone. *See also* Bovine growth hormone
Growth hormone (GH) gene expression, and zinc finger factor Zn-15 (Lipkin et al.), 1674–1687
G_1 phase of cell cycle, mice, control by D-type cyclins (Quelle et al.), 1559–1571
Gypsy retrotransposon, mutagenic effect in *Drosophila* genes, mediated by su(Hw) protein (Harrison et al.), 1966–1978

H

H19 mouse gene, parental imprinting (Bartolomei et al.), 1663–1673
Hair follicle development, transgenic mice, role of TGF-β-related molecules (Blessing et al.) (204–215)
HAT4 gene of *A. thaliana*, encodes developmental regulator (Schena et al.), 367–379
Heat shock
E. coli (Mecsas et al.), 2618–2628
factor 3 (HSF2), subcellular localization regulated by hydrophobic coiled-coil domains (Sheldon and Kingston), 1549–1558
genes, transcription of, hypo- and hyperphosphorylated forms of Pol II (Weeks et al.), 2329–2344
HeLa cells, purification of TFIIA subunit complex, p35, p19, and p12 (DeJong and Roeder), 2220–2234
HeLa NRF-2 cells, sequence identity with mouse GA-binding protein (GABP) (Virbasius et al.), 380–392
Helical switching, in ribosome assembly (Dammel and Noller), 660–670
Helix–loop–helix. *See also* bHLH protein; HLH protein
Helix–loop–helix domains, of MyoD and E12 (Shirakata et al.), 2456–2470
Hematopoiesis, combinatorial activators of myeloid genes (Ness et al.), 749–759
her-1 C. elegans gene, secreted product of and male development (Perry et al.), 216–228
Hereditary tyrosinemia type 1 (HT1), human liver disease, animal model for (Kelsey et al.), 2285–2297
Herpesvirus, *trans*-activator VP16, corecruitment with Oct-1 (Cleary et al.), 72–83

Heterochromatin formation, transcriptional silencing in yeast (Braunstein et al.), 592–604
Heterocomplex switching, Myc:Max to Mad:Max switch accompanies monocyte/macrophage differentiation (Ayer and Eisenman), 2110–2119
Heterodimerization, of transcription factors E2F-1 and DP-1 leads to cooperative *trans*-activation (Helin et al.), 1850–1861
Heteroduplex DNA, *E. crassa*, circular excised DNA (Klobutcher et al.), 84–94
Hindbrain development, mice, role of zinc finger gene *Krox20* (Swiatek and Gridley), 2071–2084
Histone
  acetylation, and transcriptional silencing in yeast (Braunstein et al.), 592–604
  H1, transcriptional repression by (Kamakaka et al.), 1779–1795
  proteins, H2A variant hv1 and *T. thermophila* nuclear development, transcriptionally competent chromatin (Stargell et al.), 2641–2651
hLEF/TCF-1α transcription factor, activation domain is context-dependent (Carlsson et al.), 2418–2430
HLH protein–dorsal (dl) morphogen interactions, *Drosophila*, differentiation of embryonic mesoderm and neuroectoderm (González-Crespo and Levine), 1703–1713
HMG protein
  hLEF/TCF-1α transcription factor (Carlsson et al.), 2418–2430
  proteins, nucleoprotein assembly activities of (Paull et al.), 1521–1534
HML locus, yeast, silencing at (Kyrion et al.), 1146–1159
HNF-3/*fork head* transcription factor, encoded by *C. elegans lin-31* gene (Miller et al.), 933–947
HNF3 and HNF4 transcriptional activators, loss of activity (Nitsch et al.), 308–319
hnRNA A1, counteracts positive influence of SF2/ASF on splicing of bGH intron D (Sun et al.), 2598–2600
HO asymmetric expression, in yeast (Tebb et al.), 517–528
Holo-TFIID multisubunit protein complex, interaction with adenovirus E1A activation domain (Boyer and Berk), 1810–1823
Homeo box genes
  Hox A11 mutant mice (Small and Potter), 2318–2328
  tinman and *bagpipe*, cell fate determination in *Drosophila* dorsal mesoderm (Azpiazu and Frasch), 1325–1340
  Xenopus Xnot gene, gastrula organizing region (von Dassow et al.), 355–366
Homeo box maize gene *KNOTTED-1* (*KN1*), role in plant cell fate (Sinha et al.), 787–795
Homeo domain gene, *Drosophila* POU, role in central nervous system development (Yang et al.), 504–516
Homeo domain protein. *See also* Oct-1; *see also* individual proteins
  Drosophila Even-skipped (Eve) (Han and Manley), 491–503
  S. cerevisiae, interaction between α2 and a1 (Mak and Johnson), 1862–1870
Homeo domain–leucine zipper (Hp–Zip) protein, encoded by *Arabidopsis HAT4* gene (Schena et al.), 367–379
Homeo domains, cooperative dimerization of (Wilson et al.), 2120–2134
Homeotic complex (HOM-C) genes, *C. elegans* CNA, gene interactions specifiy cell fates (Salser et al.), 1714–1724
Homeotic genes
  Drosophila
    Scr (Jiagang et al.), 343–354
    Ubx and Antp, functional specificity of proteins (Chan and Mann), 796–811
  regulation, *Drosophila* (Fauvarque and Dura), 1508–1520
Homeotic selector genes, *Drosophila Abdominal B* (*Abd-B*), regulation of downstream target gene empty spiracles (*ems*) (Jones and McGinnis), 229–240
Homeotic transformations
  Drosophila, induced by mouse *Hox-1.3* (Jiagang et al.), 343–354
  Hox A11 mutant mice (Small and Potter), 2318–2328
  in *Hoxa-5* mutant mice (Jeannotte et al.), 2085–2096
Homologous recombination, mediated by transcription-induced triplex (Kohwi and Panchenko), 1766–1778
Hormone-response elements (HREs), of nuclear receptors (Perlmann et al.), 1411–1422
Hox homeo box genes
  Hoxa-5 (Hox1.3), role in specification of axial identity in mice (Jeannotte et al.), 2085–2096
  vertebrate hindbrain development, expression regulated by *Krox20* (Swiatek and Gridley), 2071–2084
Hox-1.3 mouse gene, functionally equivalent to *Drosophila Sex combs reduced* (*Scr*) gene (Jiagang et al.), 343–354
Hox A11 mutant mice, homeotic transformations and limb defects in (Small and Potter), 2318–2328
HSN motor neuron migration, *C. elegans*, regulation by *egl-43* gene (Garriga et al.), 2097–2109
HT1. *See* Hereditary tyrosinemia type 1
HU DNA bending protein, as compared with HMG proteins (Paull et al.), 1521–1534
HU sequence-independent DNA-binding protein, role in Mu transpososome assembly (Lavoie and Chaconas), 2510–2519
Human β-globin locus. *See* β-globin locus control region (LCR)
Human cancer
  p53 tumor suppressor gene (Pavletich et al.), 2556–2564, (Bargonetti et al.), 2565–2574; (Wang et al.), 2575–2586
  p53 tumor suppressor protein (Prives and Manfredi), 529–534 Meeting Review
Human cell cycle gene (CCG1) product, *Drosophila* p230 TFIID subunit is functional homolog of (Kokubo et al.), 1033–1046
Human liver disease, hereditary tyrosinemia type 1 (HT1), lethal albino mice as animal model for (Kelsey et al.), 2285–2297
Human lung fibroblasts, cyclin D1 expression (Baldwin et al.), 812–821
Human transcription factor IIB. *See* Transcription factor IIB
hv1 (histone H2A variant), *T. thermophila*, association with transcriptionally competent chromatin (Stargell et al.), 2641–2651
Hydrophobic coiled-coil domains. *See* Coiled-coil domains
Hypersensitive site (HS) regions, human β-globin LCR, distinct developmental specificities of (Fraser et al.), 106–113

I

I-branching enzyme, β-1,·6-*N*-acetylglucosaminyltransferase gene family (Bierhuizen et al.), 468–478
IBP-s (initiator-binding protein of SV40), binding to SV40-MLP, early-to late shift in transcription (Wiley et al.), 2206–2219
IκB
  phosphorylation of and NF-κB induction (Mercurio et al.), 705–718
  proteins, multifunctional role for (Beg

and Baldwin), 2064–2070 Review
Imaginal disc *Drosophila*
development, possible role of *aristaless* (*al*) (Schneitz et al.), 114–129
pattern formation and protein phosphatase 2A (Uemura et al.), 429–440
Immortalization, of a somatotropic progenitor (Lew et al.), 683–693
Immunofluorescence microscopy, identification of differentially phosphorylated forms of RNA Pol II (Weeks et al.), 2329–2344
Immunoglobulin
genes
expression in B cells, role of Oct-2 (Corcoran et al.), 570–582
V(D)J recombination (Schlissel et al.), 2520–2532
J-chain gene, PU.1 regulation of (Shin and Koshland), 2006–2015
μ enhancer core, confers factor accessibility in nuclear chromatin (Jenuwein et al.), 2016–2032
superfamily, *Drosophila irreC–rst* encodes new transmembrane protein (Ramos et al.), 2533–2547
Imprinting, mouse *H19* gene, DNA methylation (Bartolomei et al.), 1663–1673
In situ localization, visualizing RNA Pol IIA and Pol II0 (Weeks et al.), 2329–2344
Initiator binding protein of SV40. *See* IBP-s
Inner membrane proteins, *Rhizobium* BacA and *E. coli* SbmA (Glazebrook et al.), 1485–1497
Insulin-like growth factor
I pleiotropic hormone, essential for embryonic growth in mice (Powell-Braxton et al.), 2609–2617
II (*Igf2*) gene, parental imprinting (Bartolomei et al.), 1663–1673
Interhelical salt bridge rule, dimerization specifity of leucine zipper-containing bZIP protein (Vinson et al.), 1047–1058
Interleukin-2
induction, Oct-1/OAP^{40} (Ullman et al.), 188–196
J-chain gene transcription (Shin and Koshland), 2006–2015
Intermediate filament proteins, mouse embryogenesis, keratin 8 (mK8) and keratin 18 (mK18) (Baribault et al.), 1191–1202
Internal eliminated sequences (IESs), DNA elimination during *E. crassa* macronuclear development (Klobutcher et al.), 84–94
Introns
cooperation between (Neel et al.), 2194–2205
of human gene encoding ribosomal protein S3, encodes U15 snRNA (Tycowski et al.), 1176–1190
Islet of Langerhans, islet-specific element in an exocrine gene (Kruse et al.), 774–786

J

JNK protein kinase, binding to c-Jun potentiates activation domain (Hibi et al.), 2135–2148
Jun activity, T lymphocytes, regulated by calcium signaling (Ullman et al.), 188–196
JunB, represses c-Jun activity (Deng and Karin), 479–490

K

Keratin 8 (mK8) and keratin 18 (mK18), mouse embryogenesis, role of (Baribault et al.), 1191–1202
Kinetics, synergism in transcriptional activation (Herschlag and Johnson), 173–179 Review
KNOTTED-1 (*KN1*) maize homeo box gene, role in plant cell fate (Sinha et al.), 787–795
Krox20 zinc finger gene, mouse hindbrain development (Swiatek and Gridley), 2071–2084

L

Learning/memory gene *dunce* (*dnc*), *Drosophila*, genetic dissection of structurally complex gene (Qiu and Davis), 1447–1458
Leishmania major, coupled polyadenylation and *trans*-splicing (LeBowitz et al.), 996–1007
Lethal albino mice, neonatal hepatic dysfunction and Fah deficiency (Grompe et al.), 2298–2307
Lethal *yellow* (A^y), homozygous embryonic lethality in mice associated with disruption of novel RNA-binding protein (Michaud et al.), 1203–1213
Leucine zipper domain, of *Drosophila suppressor of Hairy-wing* [*su(Hw)*] protein (Harrison et al.), 1966–1978
Leucine zipper, of JunB (Deng and Karin), 479–490
Licensing factor, *S. cerevisiae* MCM2-3-5 protein family (Yan et al.), 2149–2160
Limb defects, *Hox A11* mutant mice (Small and Potter), 2318–2328
lin-31 C. elegans gene, regulation of vulval cell lineages (Miller et al.), 933–947
Liver
dysfunction, of neonatal lethal albino mice, Fah deficiency (Grompe et al.), 2298–2307
fetal integrity, role of MK8/mK18 (Baribault et al.), 1191–1202
-specific gene expression, (Kelsey et al.), 2285–2297
Local heterochromatinization, *Drosophila*, and targeted P insertions (Fauvarque and Dura), 1508–1520
Locus control, factor access in nuclear chromatin (Jenuwein et al.), 2016–2032
Locus control region (LCR), human β-globin, HS regions (Fraser et al.), 106–113
Lymphocyte
development, *V(D)J* recombination (Schlissel et al.), 2520–2532
-specific transcription, hLEF/TCF-1α transcription factor, context-dependent activation domain (Carlsson et al.), 2418–2430

M

M-element deletion, *Tetrahymena* (Godiska et al.), 2357–2365
mab-5, C. elegans HOM-C gene, role in determining CNS cell fates (Salser et al.), 1714–1724
Macronuclear development, *E. crassus* (Klobutcher et al.), 84–94; (Jaraczewski et al.), 95–105
Macronuclei, *T. thermophilus* (Stargell et al.), 2641–2651
MADS box gene, petunia *pMADS1* and petal development (van der Krol et al.), 1214–1228
Maize, homeo box gene *KN1*, role in plant cell fate (Sinha et al.), 787–795
Male-determining locus, *C. elegans her-1* (Perry et al.), 216–228
Mammalian organogenesis, morphogen receptor responsivity during (Rhodes et al.), 913–932
Mammary gland development, role of TGF-β1 (Pierce et al.), 2308–2317
Mammary proto-onocogene, *Wnt*-1 gene, transmembrane protein activity of gene product (Parkin et al.), 2181–2193
Masked mRNA, in somatic *X. laevis* cells, role of FRGY2 (Ranjan et al.), 1725–1736
Maternal effect genes, *Drosophila torso-like* (*tsl*) (Savant-Bhonsale and Montell), 2548–2555
Maternal mRNA transcription, role of Y-box protein FRGY2 (Ranjan et al.), 1725–1736

Mating-type
cassettes, yeast, subject to transcriptional silencing (Braunstein et al.), 592–604
locus, *S. cerevisiae*, expression of meiotic genes (Covitz and Mitchell), 598–1608
switching, yeast (Tebb et al.), 517–528
mb-1 gene expression, characterization of early B-cell factor (EBF) (Hagman et al.), 760–773
MCM2 and MCM3 proteins, *S. cerevisiae*, initiation of DNA synthesis (Yan et al.), 2149–2160
mdm-2 gene, p53 interactions (Wu et al.), 1126–1132
Meiosis, *S. cerevisiae RME1* gene product is negative regulator of (Covitz and Mitchell), 1598–1608
Mesoderm induction, *Xenopus* embryos, fibroblast growth factor (FGF) and activin (von Dassow et al.), 355–366
Mesoderm induction, zebrafish, *Axial* gene expresssion (Strähle et al.), 1436–1446
Mesodermal patterning, *Xenopus* (Christian and Moon), 13–28
Metalloregulatory transcription factor, autoregulation of in *C. glabrata* (Zhou and Thiele), 1824–1835
Metallothionein (MT) genes, *C. glabrata*, copper detoxification (Zhou and Thiele), 1824–1835
Mitochondrial
function, NRF-1 and nuclear control of (Virbasius et al.), 2431–2445
respiratory function, NRF-2 activation of cytochrome oxidase genes (Virbasius et al.), 380–392
Mitosis
negative regulation of (Kinoshita et al.), 1059–1071
spindle formation, *S. cerevisiae*, role of B-type cyclins (Schwob and Nasmyth), 1160–1175
MMTV enhancer/promoter, transgenic mice expressing simian TGF-β1 (Pierce), 2308–2317
Modifier genes, *Drosophila su(f)*, homology to *S. cerevisiae* RNA14 (Mitchelson et al.), 241–249
Molecular cloning, of two small *Drosophila* TFIID subunits (TAFs) (Yokomori et al.), 2587–2597
Monocyte/macrophage differentiation, Myc:Max to Mad:Max switch (Ayer and Eisenman), 2110–2119
Morphogen
inducibility, of the *pit-1* gene (Rhodes et al.), 913–932
Drosophila dl protein, repression of *dpp* (Huang et al.), 694–704
Morphogenesis
D. discoideum, extracellular cAMP restores *aca*⁻ activity (Pitt et al.), 2172–2180
Drosophila, nonmuscle myosin heavy chain function (Young et al.), 29–41
Morphogenetic protein AapB, aerial mycelium formation in *S. coelicolor* (Willey et al.), 895–903
Morphological differentiation, *S. coelicolor*, hierarchical cascade of intercellular signals (Willey et al.), 895–903
Mouse
agouti gene (Miller et al.), 454–467
embryonic growth, role of pleiotropic hormone IGF-I (Powell-Braxton et al.), 2609–2617
embryonic lethality
and lethal *yellow* (A^y) (Michaud et al.), 1203–1213
in c-*jun* mutants (Johnson et al.), 1309–1317
embryogenesis
mid-gestational lethality, keratin 8 deficiency (Baribault et al.), 1191–1202
regulation of myogenin gene (Yee and Rigby), 1277–1289
GA-binding protein (GABP), sequence identity with HeLa NRF-2 (Virbasius et al.), 380–392
hindbrain development and *Krox20* zinc finger gene (Swiatek and Gridley), 2071–2084
Hox-1.3 gene, functional equivalence to *Drosophila Sex combs reduced* (*Scr*) gene (Jiagang et al.), 343–354
IgM gene, splicing enhancer (Watakabe et al.), 407–418
lethal albino, animal model for human HT1 (Kelsey et al.), 2285–2297
lethal *yellow* mutation (Miller et al.), 454–467
limb development and *Hox* genes (Small and Potter), 2318–2328
phenotypic rescue of *Brachyury* (*T*) gene (Stott et al.), 197–203
T-cell leukemia, LYAR isolated (Su et al.), 735–748
mRNA
decay
deadenylation in yeast (Decker and Parker), 1632–1643
yeast, and nonsense mutations (Peltz et al.), 1737–1754
degradation, sequence-specific endoribonuclease, *Xenopus* and *Drosophila* (Brown et al.), 1620–1631. *See also* mRNA surveillance
protection, sequence-specific RNA-binding factor, *Drosophila* and *Xenopus* (Brown et al.), 1620–1631
surveillance, nonsense-mediated mRNA decay, *C. elegans smg* genes (Pulak and Anderson), 1885–1897
Mu transposososome assembly, role of site-specific HU binding (Lavoie and Chaconas), 2510–2519
Muscle development, myogenic regulatory facator MyoD, dimerization with E12 through HLH domains (Shirakata et al.), 2456–2470
Myb protein, in combination with C/EBP-like protein NF-M forms bipartite myeloid signal (Ness et al.), 749–759
Myeloid gene expression, Myb and C/EBP-like protein NF-M form bipartite signal (Ness et al.), 749–759
Myofilament lattice, *C. elegans* (Rogalski et al.), 1471–1484
Myogenic bHLH factors, dimerization specificity directed by hydrophilic residues (Shirakata et al.), 2456–2470
Myogenin gene expression, mouse embryogenesis, regulation of (Yee and Rigby), 1277–1289
Myosin heavy chain gene (nonmuscle), and *Drosophila* morphogenesis (Young et al.), 29–41
Myxococcus xanthus, spatial restriction of cellular differentiation (Sager and Kaiser), 1645–1653

N

Negative supercoiling, intramolecular triplex structure (Kohwi and Panchenko), 1766–1778
Neural development, *Drosophila*, *pros* and *dab* genes (Gertler et al.), 441–453
Neural precursor cells, *Drosophila*, POU gene specifies fate of (Yang et al.), 504–516
Neuroectoderm, *Drosophila*, *dorsal* (*dl*)–HLH interactions (González-Crespo and Levine), 1703–1713
NF-E4 stage-specific factor, activates β-globin chromatin along with cGATA-1 (Barton et al.), 1796–1809
NF-κB
family
modulation of activity by multifunctional family of IκB proteins (Beg and Baldwin), 2064–2070 Review
nomenclature (Nabel and Verma), 2063 Letter
p50 homodimers, association with *bcl-3* gene product superactivates gene expression (Fujita et al.), 1354–1363

Rel complexes, two pathways leading to induction (Mercurio et al.), 705–718
transcription factor, p65 subunit, regulation of IκB by two distinct mechanisms (Scott et al.), 1266–1276
NF-M. *See* C/EBP-like protein NF-M
Nodule development, and *Rhizobium* BacA function (Glazebrook et al.), 1485–1497
Nonsense mutations, yeast *PGK1* gene, mRNA decay (Peltz et al.), 1737–1754
Nonsense-mediated mRNA decay, mRNA surveillance by *C. elegans smg* genes (Pulak and Anderson), 1885–1897
Notch *Drosophila* protein, antineurogenic activity from truncated proteins (Lieber et al.), 1949–1965
NRS (negative regulator of splicing), within *gag* gene of RSV (Gontarek et al.), 1926–1936
NTRC protein (nitrogen regulatory protein C), of enteric bacteria, oligomerization of required for transcriptional activation of *glnA* gene (Porter et al.), 2258–2273
Nuclear chromatin, factor access in (Jenuwein et al.), 2016–2032
Nuclear development, *T. thermophila* transcriptionally competent chromatin, role of hv1 (Stargell et al.), 2641–2651
Nuclear extracts, novel method (Lavery and Schibler), 1871–1884
Nuclear localization
cell cycle-regulated, *S. cerevisiae* MCM2 and MCM3 proteins (Yan et al.), 2149–2160
sequences, found in cytoplasmic domain of *Drosophila* Notch protein (Lieber et al.), 1949–1965
Nuclear protein NF-JB, identical to transcription factor PU.1 (Shin and Koshland), 2006–2015
Nuclear protein, cyclin D1, role in G_1/S-phase transition (Baldwin et al.), 812–821
Nuclear receptors
heterodimers, polarity of (Kurokawa et al.), 1423–1435
hormone-response elements (HREs) of (Perlmann et al.), 1411–1422
Nuclear respiratory factors
NRF-1, new DNA-binding domain (Verbasius et al.), 2431–2445
NRF-2, activation of cytochrome oxidase genes (Virbasius et al.), 380–392
Nuclear translocation, of Rel/NF-κB complexes (Mercurio et al.), 705–718
Nuclear–mitochondral interactions, NRF-1's DNA-binding domain (Virbasius et al.), 2431–2445
Nucleocytoplasmic transport, export signals of pre-U1 snRNA (Terns et al.), 1898–1908
Nucleolar oncoprotein, LYAR, cell growth regulation (Su et al.), 735–748
Nucleoprotein structures, role of HMG proteins in assembly of (Paull et al.), 1521–1534
Nucleosome disruption, by GAL4 (Axelrod et al.), 857–869
Nucleosome positioning, effect on factor/response element recognition (GR/GRE affinity) (Li and Wrange), 2471–2482
Null allele, c-*myc* mutation in ES cell lines (Davis et al.), 671–682
NusG transcriptional elongation factor, *E. coli*, interaction with termination factor ρ (Li et al.), 161–172

O

Obesity
mice (Miller et al.), 454–467
in transgenic mice, and adipose tissue mass (Ross et al.), 1318–1324
Oct-1 homeo domain protein
association with OAP^{40}, IL-2 induction (Ullman et al.), 188–196
corecruitment with VP16, transcriptional activation (Cleary et al.), 72–83
Oct-2, required for late B-cell development (Corcoran et al.), 570–582
Okadaic acid sensitivity, cell division in fission yeast (Kinoshita et al.), 1059–1071
Oligomeric states, of *E. coli* transcription factor FNR (Lazazzera et al.), 1993–2005
Oligmerization, of NTRC protein at the *glnA* enhancer (Porter et al.), 2258–2273
OMPs. *See* Outer membrane proteins
Oncogenes, adenovirus E1A and E1B (Debbas and White), 546–554
Oncogenic cell transformation, alteration of cyclin-dependent kinases (Xiong et al.), 1572–1583
Oncogenic transformation, by human adenovirus 5 cells (Lowe and Ruley), 535–545
Oogenesis, *Drosophila* terminal patterning (Savant-Bhonsale), 2548–2555. *See also Drosophila* oogenesis
Organogenesis, mammalian pituitary gland (Lew et al.), 683–693
Outer membrane proteins (OMP), *E. coli*, expression modulates activity of σ^E (Mecsas et al.), 2618–2628
Outgrowth from stationary phase, *E. coli* (Siegele and Kolter), 2629–2640
Oxygen regulation, of *E. coli* transcription factor FNR (Lazazzera et al.), 1993–2005
Oxytricha, telomere-binding protein, domain structure of α-subunit (Fang and Cech), 870–882

P

P30 nucleic acid-binding protein, TMV cell-to-cell movement protein is a phosphoprotein (Citovsky et al.), 904–910
p53
carboxy-terminal domain is the tetramerization domain (Pavletich et al.), 2556–2564
cooperative DNA binding with TBP subunit of TFIID (Chen et al.), 1847–1849
dependent apoptosis, inhibited by E1B (Debbas and White), 546–554
DNA-binding domain is central conserved portion and coincides with major mutation hot spots (Pavletich et al.), 2556–2564
DNA-binding domain is central conserved region (Bargonetti et al.), 2565–2574
murine
trans-activating properties of (Wang et al.), 2575–2586
two autonomous DNA-binding domains (Wang et al.), 2575–2586
responsive element, in *mdm-2* gene (Wu et al.), 1126–1132
tumor suppressor protein (Prives and Manfredi), 529–534 Meeting Review
tumor suppressor protein E1A-induced stabilization of (Lowe and Ruley), 535–545
Paired (Prd) class of homeo proteins, specificity determinants of (Wilson et al.), 2120–2134
paired-type homeo domain, *Drosophila aristaless* gene (Schneitz et al.), 114–129
Paired domain, of transcription factor BSAP (Pax-5) (Czerny et al.), 2048–2061
p105 and p98 precurosor proteins, role in NF-κB-mediated signal transduction (Mercurio et al.), 705–718
p107 cellular protein, inhibition of cell proliferation by (Zhu et al.), 1111–1125
Palindromic DNA sequences, cooperative dimerization of (Wilson et al.), 2120–2134
Pancreas organogenesis, islet-specific element in an exocrine gene (Kruse et al.), 774–786

Parental imprinting. *See also* Imprinting
Pattern domain, inner and outer domains of *M. xanthus* fruiting body (Sager and Kaiser), 1645–1653
Pattern formation
terminal, *Drosophila*, *tsl* gene product TSL controls localized activation of TOR (Savant-Bhonsale), 2548–2555
Drosophila
aristaless (*al*) gene (Schneitz et al.), 114–129
embryos (Lu et al.), 621–632
Torso receptor tyrosine kinase (Doyle and Bishop), 633–646
vertebrate development (Small and Potter), 2318–2328
Pax proteins, DNA sequence recognition by (Czerny et al.), 2048–2061
Pc-g. *See Polycomb* group genes
PCNA (proliferating cell nuclear antigen), and cell cycle kinase complex (Xiong et al.), 1572–1583
Peripheral neurogenesis, *Drosophila* (Ghysen et al.), 723–733 Review
Perlecan, mammalian basement membrane proteoglycan (Rogalski et al.), 1471–1484
Petal development, controlled by *pMADS1* in the petunia (van der Krol et al.), 1214–1228
Petunia, *pMADS1* and petal development (van der Krol et al.), 1214–1228
PGK1-coding region, yeast, nonsense-mediated mRNA decay (Peltz et al.), 1737–1754
ph. *See* Polyhomeotic
Phenotypic rescue, of mouse *Brachyury* (*T*) gene (Stott et al.), 197–203
Phenotypic suppression, *Drosophila*, *su(f)* locus (Mitchelson et al.), 241–249
Pheromone response elements (PREs), *S. cerevisiae*, role of STE12 in pheromone induction of α-specific genes (Yuan et al.), 1584–1597
Pheromone response machinery, budding yeast, regulation of *FAR1* at cell cycle Start (McKinney et al.), 833–843
PhoB activator protein, *E. coli* (Makino et al.), 149–160
Phosphate regulon, *E. coli* (Makino et al.), 149–160
Phosphorylation
of *Caulobacter* transcriptional activator FlbD, regulation of pole-specific gene expression (Wingrove et al.), 1979–1992
of NTRC protein facilitates dimer interaction (Porter et al.), 2258–2273
pathway, *B. subtilis* Spo0A transcription factor activation (Ireton et al.), 283–294
regulation of c-Jun activity, role of JNK protein kinase (Hibi et al.), 2135–2148
of RNA polymerase II CTDs (Weeks et al.), 2329–2344
of TMV cell–cell movement protein by cell wall-associated protein kinase (Citovsky et al.), 904–910
Photofootprinting, in vivo of yeast *GAL1* (Axelrod et al.), 857–869
pit-1 gene, morphogen inducibility of (Rhodes et al.), 913–932
Pit-1 transcription factor, GH gene expression (Lipkin et al.), 1674–1687
Pituitary development, mammalian organogenesis (Lew et al.), 683–693
PKA. *See* Protein kinase
Plasmodesmata, plant intercellular connections, spread of viruses through (Citovsky et al.), 904–910
Pleiotropic hormone, IGF-I, essential for normal embryonic growth (Powell-Braxton et al.), 2609–2617
Polarity, *Caulobacter*, spatial transcription of flagellar promoters (Wingrove et al.), 1979–1992
Pollen mutants, *Arabidopsis*, disruption of cell signaling during fertilization (Preuss et al.), 974–985
Poly(A) tail, deadenylation and decay of yeast mRNAs (Decker and Parker), 1632–1643
Polyadenylation
coupled to *trans*-splicing in *Leishmania* (LeBowitz et al.), 996–1007
U1 snRNP coordinates communication to splicing machinery (Wassarman and Steitz), 647–659
Polycistronic pre-mRNAs, *L. major*, coupled polyadenylation and *trans*-splicing (LeBowitz et al.), 996–1007
Polycomb group genes *Pc-g*, *Drosophila* (Fauvarque and Dura), 1508–1520
Polyhomeotic (*ph*) locus, *Drosophila*, local heterochramatinization and targeted P insertion (Fauvarque and Dura), 1508–1520
Polypurine sequence, and programmed DNA deletion in *Tetrahymena* (Godiska et al.), 2357–2365
Polypyrimidine tract-binding protein (PTB), pre-mRNA splicing, association with PTB-associated splicing factor (PSF) (Patton et al.), 393–406
Position effect, nonsense-mediated mRNA decay is position dependent (Peltz et al.), 1737–1754
POU homeo domain
factor, Pit-1 (Rhodes et al.), 913–932
factors, neuron-specific, class-specific spacing preferences (Li et al.), 2483–2496
gene
Drosophila, role in central nervous system development (Yang et al.), 504–516
GHF-1, role in mammalian pituitary development (Lew et al.), 683–693
protein, Oct-1, corecruitment with VP16 (Cleary et al.), 72–83
transcription factor
Oct-2, late B-cell development (Corcoran et al.), 570–582
Pit-1, GH gene expression (Lipkin et al.), 1674–1687
pRB retinoblastoma gene product, and inhibition of cell proliferation (Zhu et al.), 1111–1125
prd, Prd. *See paired*, Paired
Pre-mRNA processing, cooperation between introns (Neel et al.), 2194–2205
Pre-mRNA splicing
bovine growth hormone (bGH), SF2/ASF binding to ESE in 3′ terminal exon (Sun et al.), 2598–2600
characterization of novel PTB-associated splicing factor (PSF) (Patton et al.), 393–406
E complex, association of 5′ and 3′ splice sites (Michaud and Reed), 1008–1020
interaction of yeast spliceosomal proteins (Ruby et al.), 1909–1925
multiple roles of U1 snRNP (Wassarman and Steitz), 647–659
second step is ATP independent (Horowitz and Abelson), 320–329
splice site selection, role of exon sequences (Watakabe et al.), 407–418
U1 snRNP functions without U1A protein (Liao et al.), 419–428
Pre-U1 snRNA, *cis*-acting signals for export of (Terns et al.), 1898–1908
Preinitiation complex (PIC)
TFIIA interacts with TBP and associates with TFIID complex (Ma et al.), 2246–2257
thyroid hormone receptor (TR) inhibits transcription (Fondell et al.), 1400–1410
Prespliceosome assembly, *S. cerevisiae*, splicing factor interactions (Legrain et al.), 1390–1399
Prespliceosome complex (E), mammals, association of 5′ and 3′ splice sites (Michaud and Reed), 1008–1020

Progenitor cell, immortalization of somatotropic progenitor (Lew et al.), 683–693
Programmed cell death, and *Drosophila irreC–rst* locus (Ramos et al.), 2533–2547 *See also* Apoptosis (White), 2277–2284 Meeting Review
Promoters
c-*fos*, YY1 function and DNA bending (Natesan and Gilman), 2497–2509
yeast, key determinant in controlling silent domains (Renauld et al.), 1133–1145
prospero (*pros*) *Drosophila* gene, genetic modifier of *abl* gene (Gertler et al.), 441–453
Protein degration, amino-end rule-dependent (Watkins et al.), 250–261
Protein export, *E. coli* OMPs (Mecsas et al.), 2618–2628
Protein kinase
cell wall-associated, and phosphorylation of TMV cell–cell movement protein (Citovsky et al.), 904–910
JNK, binding to c-Jun potentiates activation domain (Hibi et al.), 2135–2148
PKA (cAMP-dependent protein kinase)
D. discoideum (Pitt et al.), 2172–2180
developmental roles in *Drosophila* (Lane and Kalderon), 1229–1243
Protein phosphatase
1, association with retinoblastoma protein (Durfee et al.), 555–569
2A (PP2A), and pattern formation in *Drosophila* imaginal disc (Uemura et al.), 429–440
ppa2, fission yeast protein, negative regulation of mitosis (Kinoshita et al.), 1059–1071
Protein–DNA interaction
DNA sequence recognition by Pax proteins (Czerny et al.), 2048–2061
Drosophila TBP/TAF transcription complex (Yokomori et al.), 2235–2245
polarity and orientation of DNA-binding domains (Kurokawa et al.), 1423–1435
Prd family homeo domains and DNA (Wilson et al.), 2120–2134
S. cerevisiae, complex formed by α2, a1 and haploid-specific gene operator (Mak and Johnson), 1862–1870
Protein–protein interaction
B. subtilis, SinI–SinR (Bai et al.), 139–148
between NTRC dimers (Porter et al.), 2258–2273
domain, of *Oxytricha* telomere-binding protein (Fang and Cech), 870–882
Drosophila
TAF–TAF interactions (Yokomori et al.), 2587–2597
TBP/TAF transcription complex (Yokomori et al.), 2235–2245
interaction between two yeast homeo domain proteins (α1 and a1) (Mak and Johnson), 1862–1870
p53–mdm-2 (Wu et al.), 1126–1132
retinoblastoma protein and protein phosphatase type I catalytic subunit (Durfee et al.), 555–569
S. cerevisiae splicing factors, PRP9 and SPP91 (Legrain et al.), 1390–1399
Proto-oncogene, c-*jun* null mutation, embryonic lethality and retarded cell growth in mice (Johnson et al.), 1309–1317
Proximal sequence element (PSE), and transcriptional activation (Sudowski et al.), 1535–1548
PRP spliceosomal proteins, interaction of (Ruby et al.), 1909–1925
PRP18 protein, role in second step of pre-mRNA splicing (Horowitz and Abelson), 320–329
PTB-associated splicing factor (PSF), pre-mRNA splicing (Patton et al.), 393–406
PU.1 transcription factor, ETS-related protein, regulation of immunoglobulin J-chain gene (Shin and Koshland), 2006–2015

R

RA. *See* Retinoic acid
RAD6 gene, *S. cerevisiae*, role of conserved amino terminus (Watkins et al.), 250–261
RAD25 gene, *S. cerevisiae*, required for transcription by RNA polymerase II (Qiu et al.), 2161–2171
Rad52–Rad51 interactions, *S. cerevisiae* DSB repair (Milne and Weaver), 1755–1765
Radiation-induced thymic leukemogenesis, LYAR expression (Su et al.), 735–748
RAG-1 and RAG-2, required for *V(D)J* recombination (Schlissel et al.), 2520–2532
Raly mouse gene, association with lethal *yellow* (A^y) expression (Michaud et al.), 1203–1213
RAP1 binding protein, *S. cerevisiae*, telomere position effects (Kyrion et al.), 1146–1159
Ras Drosophila genes, $p21^{ras}$/Ras1 mediates torso signaling (Lu et al.), 621–632
Rb gene. *See* Retinoblastoma gene family
Receptor tyrosine kinase (RTK), *Drosophila*, localized activation of and terminal patterning (Savant-Bhonsale), 2548–2555
Recognition helix, Prd homeo domains (Wilson et al.), 2120–2134
Recombination, *V(D)J* (Gerstein and Lieber), 1459–1469
Replication origin, in *Sciara* DNA puff amplification (Liang et al.), 1072–1084
Repression, chromatin mediated, of basal transcription in vivo (Almouzni and Wolffe), 2033–2047
Retinoblastoma gene (RB)
dosage of and effect on mouse development (Bignon et al.), 1654–1662
family (Rb)
adenovirus E1A interaction (Li et al.), 2366–2377
isolation of new member $p130^{Rbr-2}$ (Hannon et al.), 2378–2391
product (pRB)
as compared with cellular protein p107 (Zhu et al.), 1111–1125
interaction with cyclin D (Kato et al.), 331–342
Retinoblastoma protein (pRB)
interaction with heterodimer E2F-1/DP-1 (Helin et al.), 1850–1861
isolation of associated proteins (Durfee et al.), 555–569
Retinoic acid (RA), regulation of γF-crystallin gene expression (Tini et al.), 295–307
Retinoid X receptors, heterodimers formed with retinoic acid, thyroid hormone, and vitamin D receptors (Kurokawa et al.), 1423–1435
Retinoids, role in mammalian lens development (Tini et al.), 295–307
Retrovirus. *See also* Rous sarcoma virus
Rhizobium meliloti, bacteroid development and *bacA* gene (Glazebrook et al.), 1485–1497
ρ termination factor, *E. coli*, interaction with NusG (Li et al.), 161–172
Rhomboid (*rho*) *Drosophila* gene, mediates wing vein formation and interacts with EGF-R signaling pathway (Sturtevant et al.), 961–973
Rhombomeres, vertebrate hindbrain development (Swiatek and Gridley), 2071–2084
Ribonucleoprotein enzyme telomerase, *Tetrahymena* (Collins and Greider), 1364–1376
Ribosomal protein S3, human gene of, intron encodes U15 nucleolar snRNA (Tycowski et al.), 1176–1190
Ribosome assembly, and cold sensitivity (Dammel and Noller), 660–670
Ribozymes, substrate selection rules (Joseph et al.), 130–138

RIF1, and yeast telomere position effects (Kyrion et al.), 1146–1159
RME1 meiotic inhibitor, *S. cerevisiae*, transcriptional repression of *IME1* gene (Covitz and Mitchell), 1598–1608
RNA enzyme, ribozymes, substrate selection (Joseph et al.), 130–138
RNA polymerase
activity, telomerase similarity (Collins and Greider), 1364–1376
interaction with promoter DNA and role of σ-factors (Dombroski et al.), 2446–2455
σ^{70} subunit of, *E. coli* (Makino et al.), 149–160
TBP and transcription initiation (Sudowski et al.), 1535–1548
RNA polymerase I
eukaryotic transcription, role of TBP (Hernandez), 1291–1308 Review
transcription, role of TBP (Hernandez), 1291–1308 Review
RNA polymerase II
initiation complex, *Drosophila* TFIID small subunits, $dTAF_{II}30\alpha$ and $dTAF_{II}30\beta$ Yokomori et al.), 2587–2597
transcription, *S. cerevisiae*, requires *RAD25* gene (Qiu et al.), 2161–2171
eukaryotic transcription, role of TBP (Hernandez), 1291–1308 Review
interaction with distinct domain in TFIID (Ha et al.), 1021–1032
Pol IIA and Pol II0, functional differences between (Weeks et al.), 2329–2344
potentiation of transcription by Gal4–VP16, replication-dependent mechanism (Kamakaka et al.), 1779–1795
transcription initiation by, minimal set of proteins required (Tyree et al.), 1254–1265
transcription, role of TBP (Hernandez), 1291–1308 Review
transcriptional activation, TFIID–TAF interaction with TBP (Zhou et al.), 180–187
RNA polymerase III
eukaryotic transcription, role of TBP (Hernandez), 1291–1308 Review
transcription, role of TBP (Hernandez), 1291–1308 Review
RNA processing
coordination of splicing and polyadenylation (Wassarman and Steitz), 647–659
human, intron-encoded U15A nucleolar snRNA (Tycowski et al.), 1176–1190
Leishmania, coupling of polyadenylation and *trans*-splicing (LeBowitz et al.), 996–1007
RNA splicing, snRNP–NRS interaction in RSV blocks mature spliceosome formation (Gontarek et al.), 1926–1936
RNA-binding protein
encoded by *Drosophila sqd* gene, role in dorsoventral axis formation (Kelley), 989–960
encoded by mouse *Raly* gene, disruption of and A^y expression (Michaud et al.), 1203–1213
Rous sarcoma virus (RSV), U2, U11 and U12 snRNP binding to NRS RNA may inhibit spliceosome assembly (Gontarek et al.), 1926–1936
rRNA
processing complexes, terminal balls of chromatin spreads (Mougey et al.), 1609–1619
transcription units, eukaryotic chromatin spreads, terminal balls are conserved processing complexes (Mougey et al.), 1609–1619
RSRF-like protein, and myogenin gene regulation (Yee and Rigby), 1277–1289
RSV. *See* Rous sarcoma virus

S

16S rRNA, cold-sensitive mutation in (Dammel and Noller), 660–670
Saccharomoyces cerevisiae. *See also* Yeast
DSB repair epistasis group, Rad52 (Milne and Weaver), 1755–1765
interaction
between α1 and STE12 (Yuan et al.), 1584–1597
between homeo domain proteins α2 and a1 (Mak and Johnson), 1862–1870
of spliceosomal proteins (Ruby et al.), 1909–1925
MCM2 and MCM3 proteins, initiation of DNA synthesis (Yan et al.), 2149–2160
multiple cell cycle functions of Cks1 (Tang and Reed), 822–832
new pair of B cyclins involved in DNA replication (Schwob and Nasmyth), 1160–1175
new telomere formation (Kramer and Haber), 2345–2356
pre-mRNA splicing, final step is ATP independent (Horowitz and Abelson), 320–329
prespliceosome assembly, splicing factor protein–protein interactions (Legrain et al.), 1390–1399
promoter of *GAL1* gene, GAL4 disrupts repressing nucleosome during transcriptional activation (Axelrod et al.), 857–869
RAD6 gene, role of conserved amino terminus (Watkins et al.), 250–261
RAP1 and telomere position effects (Kyrion et al.), 1146–1159
telomeric silencing (Renauld et al.), 1133–1145
transcription by RNA polymerase II, *RAD25* gene required (Qiu et al.), 2161–2171
transcription
repression by meiotic inhibitor RME1 (Covitz and Mitchell), 598–1608
silencing, associated with reduced nucleosome acetylation (Braunstein et al.), 592–604
SbmA *E. coli* antibiotic transport protein, *Rhizobium* BacA inner membrane protein is homologous to (Glazebrook et al.), 1485–1497
Schizosaccharomyces pombe. *See* Fission yeast
Sciara DNA puff amplification, replication origin (Liang et al.), 1072–1084
Scr. *See Sex combs reduced*
Segment identity function, of *Drosophila* Ubx and Antp (Chan and Mann), 796–811
Segmentation, vertebrate hindbrain development (Swiatek and Gridley), 2071–2084
Sequence recognition, BSAP paired domain interaction with DNA (Czerny et al.), 2048–2061
Sequence-specific DNA-binding domain, p53 (Pavletich et al.), 2556–2564; (Bargonetti et al.), 2565–2574
Sevenless pathway, *Drosophila* embryos (Doyle and Bishop), 633–646
Sex combs reduced (*Scr*) *Drosophila* gene, *Hox-1.3* mouse gene substitutes for (Jiagang et al.), 343–354
Sex determination
C. elegans, *her-1* gene (Perry et al.), 216–228
Drosophila
bZIP protein homolog encoded by *sis-a* gene (Erickson and Cline), 1688–1702
parallels in mesoderm formation (González-Crespo and Levine), 1703–1713
Sex-lethal (*Sxl*) gene, *Drosophila* sex determination (Erickson and Cline), 1688–1702
Sexual differentiation, *Drosophila*, doublesex proteins (Coschigano and Wensink), 42–54
SF2/ASF general splicing factor, promotes alternate splicing by binding to ESE of bGH preмRNA (Sun et al.), 2598–2600

σ-factors
amino-terminal inhibitory domain of (Dombroski et al.), 2446–2455
E. coli, activity of σ^E is modulated by expression of outer membrane proteins (OMP) (Mecsas et al.), 2618–2628
Signal transduction
C. elegans her-1 locus (Perry et al.), 216–228
cAMP-mediated, *Drosophila* development (Lane and Kalderon), 1229–1243
Drosophila
ectoderm development, Notch protein functions as signal transducing receptor (Lieber et al.), 1949–1965
embryo, role of $p21^{ras}$/Ras1 in torso signaling (Lu et al.), 621–632
Torso pathway (Doyle and Bishop), 633–646
NF-κB mediated (Mercurio et al.), 705–718
pathways
E. coli (Mecsas et al.), 2618–2628
Drosophila DER and ventral cell fate (Raz and Shilo), 1937–1948
EGF-R, components interact with *Drosophila rho* gene (Sturtevant et al.), 961–973
G-protein-linked and *Dictyostelium* development (Lilly et al.), 986–995
Wnt-1-mediated cell-to-cell signaling (Parkin et al.), 2181–2193
Signaling, *Arabidopsis* fertilization (Preuss et al.), 974–985
Signaling. *See also* Cell-signaling pathway
Silencer elements, of *Drosophila dpp* gene, interaction with enhancer elements (Huang et al.), 694–704
Silencing, yeast telomeres (Renauld et al.), 1133–1145
Single-stranded DNA-binding activity, of *Xenopus* telomere with XTEF (Cardenas et al.), 883–894
SinI, *B. subtilis*, modulated SinR activity (Bai et al.), 139–148
SinR activity, *B. subtilis*, modulated by SinI (Bai et al.), 139–148
SIR3, yeast, silencing (Renauld et al.), 1133–1145
Sister chromatid fusion. *See also* Chromatid fusion
Sisterless genes, *Drosophila* sex determination (Erickson and Cline), 1688–1702
Skeletal transformations, in mouse embryos, caused by *Hoxa-5* mutations (Jeannotte et al.), 2085–2096
smg C. elegans genes, mRNA surveillance (nonsense-mediated mRNA decay) (Pulak and Anderson), 1885–1897
$SNAP_c$, snRNA-activating protein complex (Sudowski et al.), 1535–1548
SNF2/SWI2 protein, yeast, DNA-stimulated ATPase activity (Laurent et al.), 583–591
snRNA
promoter, TBP activated transcriptional activation (Sudowski et al.), 1535–1548
U15, processed from intron of human gene encoding ribosomal protein S3 (Tycowski et al.), 1176–1190
snRNPs, U1, U2, and U11/U12 bind RSV NRS RNA (Gontarek et al.), 1926–1936
Somatic cell hybrids, extinction of TAT gene activity (Nitsch et al.), 308–319
Somatotropic lineage, analysis of in transgenic mice (Lew et al.), 683–693
Son of sevenless (*sos*) *Drosophila* gene, positive regulator of Ras1 (Lu et al.), 621–632
Spemann organizer
interactions with *Xwnt-8*, *Xenopus* mesodermal patterning (Christian and Moon), 13–28
Xenopus embryo, two independently regulated organizing centers (von Dassow et al.), 355–366
Splice site selection
E complex in mammals (Michaud and Reed), 1008–1020
role of exon sequences (Watakabe et al.), 407–418
role of splicing enhancer in the the fibronectin ED1 exon (Lavigueur et al.), 2405–2417
Spliceosomal proteins, interaction of yeast PRP proteins (Ruby et al.), 1909–1925
Spliceosome
assembly
mammalian E complex, splice site selection (Michaud and Reed), 1008–1020
RSV, may be inhibited by snRNP–NRS binding (Gontarek et al.), 1926–1936
conformational changes of U6 RNA (Wolff and Bindereif), 1377–1389
Splicing
conformational changes of spliceosomal U6 RNA (Wolff and Bindereif), 1377–1389
enhancer, in human fibronectin ED1 exon (Lavigueur et al.), 2405–2417
factors
general splicing factor SF2/ASF, binding to ESE in bGH 3′ terminal exon (Sun et al.), 2598–2600
PTB and PSF (Patton et al.), 393–406
yeast, interaction between PRP9 and SPP91 (Legrain et al.), 1390–1399
rate, and intron cooperation (Neel et al.), 2194–2205
splice site selection, stimulated by SE element in fibronectin alternate ED1 exon (Lavigueur et al.), 2405–2417
yeast spliceosomal proteins, interaction of (Ruby et al.), 1909–1925
See also Pre-mRNA splicing
Spo0A transcription factor, *B. subtilis* sporulation, integration of multiple developmental signals (Ireton et al.), 283–294
Sporulation
B. subtilis (Bai et al.), 139–148
Spo0A transcription factor activation, integration of multiple developmental signals (Ireton et al.), 283–294
M. xanthus, differentiation and motility (Sager and Kaiser), 1645–1653
SR proteins, interaction with SE element of fibronectin alternate ED1 exon (Lavigueur et al.), 2405–2417
SRY male sex determination gene, product may be structural transcription factor like YY1 (Natesan and Gilman), 2497–2509
Start of budding yeast cell cycle (McKinney et al.), 833–843
Starvation, *E. coli*, resuming growth after (Siegele and Kolter), 2629–2640
Stationary phase, *E. coli*, inability to exit from and *surB1* mutant (Siegele and Kolter), 2629–2640
Steroid–thyroid hormone receptor superfamily, IBP-s component (Wiley et al.), 2206–2219
Streptomyces coelicolor, aerial mycelium formation (Willey et al.), 895–903
Structural brain mutant, *Drosophila irregular chiasm C* (*irreC*) (Ramos et al.), 2533–2547
Subcellular localization, of HSF2, regulated by hydrophobic coiled-coil domains analagous to leucine zippers (Sheldon and Kingston), 1549–1558
Superinfection exclusion, bacteriophage P22 (Ranade and Poteete), 1498–1507
suppressor of forked [*suf(f)*] modifier gene, *Drosophila*, homology with *S. cerevisiae* RNA14 (Mitchelson et al.), 241–249
suppressor of Hairy-wing [*su(Hw)*] pro-

tein, *Drosophila*, functional domains of (Harrison et al.), 1966–1978
surB gene product, *E. coli*, required for cells to exit stationary phase under restrictive aerobic conditions (Siegele and Kolter), 2629–2640
Survival, growth/stationary phase transitions in *E. coli* (Siegele and Kolter), 2629–2640
SV40 major late promoter, cellular repressors of (IBP-s) (Wiley et al.), 2206–2219
SWI5 instability, yeast, role in HO instability (Tebb et al.), 517–528
Symbiosis, and *Rhizobium* BacA function (Glazebrook et al.), 1485–1497
Synergism, in transcriptional activation (Herschlag and Johnson), 173–179 Review

T

T cells, TCRα enhancer
  activation of (Carlsson et al.), 2418–2430
  induced by context-dependent activation domain of hLEF/TCF-1α (Carlsson et al.), 2418–2430
T lymphocytes, activation, calcium signals regulate Jun activity (Ullman et al.), 188–196
T-cell receptor-α
T-cell receptor (TCR) gene, *V(D)J* recombination (Schlissel et al.), 2520–2532
T7 RNA polymerase, accessibility to and immunoglobulin μ enhancer core (Jenuwein et al.), 2016–2032
TAF subunits of *Drosophila* TFIID, $dTAF_{II}30\alpha$ and $dTAF_{II}20\beta$ (Yokomori et al.), 2587–2597
TAFs, *Drosophila*, association with TBPs in TFIID complex (Yokomori et al.), 2235–2245
Target P-element insertions, *Drosophila* (Fauvarque and Dura), 1508–1520
Targeted oncogenesis, pituitary tumors in transgenic mice (Lew et al.), 683–693
TATA box-binding
  activity, of *Drosophila* TBP, negatively regulated by TFIID p230 subunit (Kokubo et al.), 1033–1046
  polypeptide, conserved core domain, interaction with TFIID–TAFs (Zhou et al.), 180–187
  protein
    associated factors. *See* TATA box-binding polypeptide
  DNA binding, ATP-dependent inhibitor of (ADI) (Auble and Hahn), 844–856
  Drosophila, TAFs associated with in TFIID complex (Yokomori et al.), 2235–2245
  interaction with distinct domain in TFIID (Ha et al.), 1021–1332
  RNA polymerase II transcription initiation (Tyree et al.), 1254–1265
  role in RNA Pol I, II, and III transcription (Hernandez), 1291–1308 Review
  subunit
    of holo-TFIID, interaction with adenovirus E1A activation domain (Boyer and Berk), 1810–1823
    of TFIID, cooperative DNA binding with p53 (Chen et al.), 1847–1849
    TFIIA interaction (Ma et al.), 2246–2257
  transcription in higher eukaryotes, central role in initiation of all genes (Sudowski et al.), 1535–1548
  TBP. *See* TATA-box-binding protein
Tc*1* transposase, *C. elegans* (Vos et al.), 1244–1253
Tec element excission, *E. crassus* (Jaraczewski et al.), 95–105
Telomerase, *Tetrahymena*, DNA cleavage and elongation (Collins and Greider), 1364–1376
Telomere position effects, yeast (Kyrion et al.), 1146–1159, (Renauld et al.), 1135–1145
Telomere-binding protein, *Oxytricha*, domain structure of α-subunit (Fang et al.), 870–882
Telomeres
  formation, *S. cerevisiae* (Kramer and Haber), 2345–2356
  Xenopus telomere end factor (XTEF) (Cardenas et al.), 883–894
  yeast, subject to transcriptional silencing (Braunstein et al.), 592–604
Telomeric silencing, *S. cerevisiae* (Renauld et al.), 1133–1145
Terminal balls, chromatin spreads, evolutionarily conserved processing complexes (Mougey et al.), 1609–1619
Terminal pattern formation. *See also* Pattern formation
Termination of transcription, *E. coli*, NusG–ρ interaction (Li et al.), 161–172
Tetrahymena
  nuclear development, transcriptionally competent state of chromatin (Stargell et al.), 2641–2651
  programmed DNA deletion (Godiska et al.), 2357–2365
  telomerase, DNA cleavage and elongation (Collins and Greider), 1364–1376
Tetramerization domain, p53 carboxy-terminal domain (Pavletich et al.), 2556–2564
Tetramers, formed from the murine p53 DNA-binding domain that binds DNA nonspecifically (Wang et al.), 2575–2586
TFIIA
  characterization of in *Drosophila*, copurifies with TFIID (Yokomori et al.), 2235–2245
  human, molecular cloning of largest subunit (α) (Ma et al.), 2246–2257
  subunit purification and cloning of hTFIIA/α (DeJong and Roeder), 2220–2234
TFIIB
  interaction with distinct domain in TFIID (Ha et al.), 1021–1032
  RNA polymerase II transcription initiation (Tyree et al.), 1254–1265
TFIID complex. *See also* Holo-TFIID
  TFIID–TAFs interact with TBP core domain (Zhou et al.), 180–187
  Drosophila
    $dTAF_{II}30\alpha$ and $dTAF_{II}30\beta$ subunits (Yokomori et al.), 2587–2597
    p230 subunit, functional homolog of human CCG1 (Kokubo et al.), 1033–1046
    TFIIA subunits copurify with TFIID (Yokomori et al.), 2235–2245
  TPB subunit (Hernandez), 1291–1308 Review
  TBP subunit and p53 cooperatively bind to DNA (Chen et al.), 1847–1849
TFIIF (RAP30/70), RNA polymerase II transcription initiation (Tyree et al.), 1254–1265
TGF-β. *See* Transforming growth factor β
Thyroid hormone receptor (TR), active repression by (Fondell et al.), 1400–1410
tinman (*tin*), *Drosophila*, cell fate determination in dorsal mesoderm (Azpiazu and Frasch), 1325–1340
Tissue-specific transcription factor, *Drosophila* NTF-1, isoleucine-rich activation domain (Attardi and Tjian), 1341–1353
Tobacco mosaic virus (TMV), cell-to-cell spread of (Citovsky et al.), 904–910
Tobacco plant, overexpression of maize homeo box gene *KN1*, cell fate (Sinha et al.), 787–795
torso (*tor*) receptor tyrosine kinase, *Drosophila*, $p21^{ras}$/Ras1 mediates *tor* signaling (Lu et al.), 621–632

Torso pathway, *Drosophila* embryos, Ras-1 and Sos function in (Doyle and Bishop), 633–646
torso-like (*tsl*) maternal effect gene, and *Drosophila* terminal pattern formation (Savant-Bhonsale), 2548–2555
Toxin gene, targeted expression to adipose tissue, 1318–1324
tramtrack (*ttk*) transcriptional repressor, required for *Drosophila* eye development (Xiong and Montell), 1085–1096
Trans-activation
accomplished by p53 (Wang et al.), 2575–2586
cooperative, by transcription factors E2F-1 and DP-1 (Helin et al.), 1850–1861
Trans-splicing, coupled to polyadenylation in *Leishmania* (LeBowitz et al.), 996–1007
Transcription complex assembly, inhibitors of (Auble and Hahn), 844–856
Transcription
activation
cooperative DNA binding of p53 with TFIID (TBP) (Chen et al.), 1847–1849
DNA replication-dependent mechanism (Kamakaka et al.), 1779–1795
E1A activation domain interacts with TBP subunit of holo-TFIID (Boyer and Berk), 1810–1823
of *glnA* gene, oligomerization of NTRC protein required (Porter et al.), 2258–2273
mediation of by TAF
modulated by TAFs (TFIID subunits) (Yokomori et al.), 2587–2597
by MyoD protein (Shirakata et al.), 2456–2470
and structural changes in chromatin (Laurent et al.), 583–591
synergism in (Herschlag and Johnson), 173–179 Review
TFIIA functions as coactivator (Ma et al.), 2246–2257
TFIID–TAF interaction with TBP (Zhou et al.), 180–187
of yeast *GAL1* promoter, nucleosome disruption by GAL4 (Axelrod et al.), 857–869
activator
FlbD, phosphorylation of regulates pole-specific gene expression in *Caulobacter* (Wingrove et al.), 1979–1992
Gal4–VP16 (Kamakaka et al.), 1779–1795
Gal4–VP16 activation occurs independently of chromatin-mediated repression (Almouzni and Wolffe), 2033–2047
active state of gene locus involves multiple steps (Jenuwein et al.), 2016–2032
coactivator, *bcl-3* gene product, activation via NF-κB p50 homodimers (Fujita et al.), 1354–1363
complex, *Drosophila* TBP/TAF, protein–protein and protein–DNA interactions between components (Yokomori et al.), 2235–2245
enhancer function, *su(Hw)*'s negative effect mediated by leucine zipper domain (Harrison et al.), 1966–1978
E. coli, triplex formation and homologous recombination (Kohwi and Panchenko), 1766–1778
factor
E2F, association with p130 E1A-binding protein (Cobrinik et al), 2392–2404
FNR, *E. coli*, responsiveness to oxygen levels (Lazazzera et al.), 1993–2005
IIB (TFIIB), distinct domains of, interaction with RNA polymerase II, TFIIB and TATA-binding protein (Ha et al.), 1021–1032
NF-κB, p65 subunit, regulation of IκB (Scott et al.), 1266–1276
NTF-1, *Drosophila*, isoleucine-rich activation domain (Attardi and Tjian), 1341–1353
Oct-2 POU homeo domain (Corcoran et al.), 570–582
TBP, role in RNA Pol I, II, and III transcription (Hernandez), 1291–1308 Review
TFIID, cooperative DNA binding of TBP subunit and p53 (Chen et al.), 1847–1849
factors
BSAP (Pax-5), paired domains of and interaction with DNA (Czerny et al.), 2048–2061
bZIP DBP (Lavery and Schibler), 1871–1884
E2F-1 and DP-1, heterodimerization leads to cooperative *trans*-activation (Helin et al.), 1850–1861
of higher plant systems (Schena et al.), 367–379
hLEF/TCF-1α, activation domain is context-dependent (Carlsson et al.), 2418–2430
minimal set sufficient for RNA Pol II transcription initiation (Tyree et al.), 1254–1265
Myb and NF-M (Ness et al.), 749–759
NRF-1 binding activity (Virbasius et al.), 2431–2445
POU domain (Li et al.), 2483–2496
TFIIA purification and cloning of hTFIIA/α (DeJong and Roeder), 2220–2234
YY1 DNA-binding protein represents new class that affects promoter structure (Natesan and Gilman), 2497–2509
human TFIIA purification and cloning of p35 and p19 subunits (DeJong and Roeder), 2220–2234
induction, interaction between yeast α1 and STE12 (Yuan et al.), 1584–1597
initiation
RNA polymerase II, minimal set of proteins required (Tyree et al.), 1254–1265
TBP, central role in higher eukaryotes of all genes (Sudowski et al.), 1535–1548
preinitiation complex, unliganded thryoid hormone receptor (TR) inhibits formation of (Fondell et al.), 1400–1410
regulation
in differentiating cells (Ayer and Eisenman), 2110–2119
eukaryotes, activation throught Oct-1/VP16 corecruitment (Cleary et al.), 72–83
by male and female DSX of *Drosophila* yolk protein genes (Coschigano and Wensink), 42–54
replication-dependent component, IBP-s binding to SV40-MLP (Wiley et al.), 2206–2219
repression
by *Drosophila* homeo domain protein Eve (Han and Manley), 491–503
by p53 (Chen et al.), 1847–1849
of *S. cerevisiae* IME1 gene by mitotic inhibitor *RME1* (Covitz and Mitchell), 1598–1608
X. laevis, role of FRGY2 (Ranjan et al.), 1725–1736
repressor, *tramtrack* (*ttk*), required for cell fate determination in *Drosophila* eye (Xiong and Montell), 1085–1096
by RNA polymerase II, requires RAD25 in *S. cerevisiae* (Qiu et al.), 2161–2171
RNA polymerase promoter recognition, role of σ-factor (Dombroski et al.), 2446–2455, 2446–2455
silencing, yeast, associated with reduced nucleosome acetylation (Braunstein et al.), 592–604
start sites, multiple ones of *Drosophila dunce* gene (Qiu and Davis), 1447–1458
switch, and antisense RNA (Ranade and Poteete), 1498–1507
termination and antitermination, *E. coli* (Li et al.), 161–172
termination, and mRNA destabilization (Peltz et al.), 1737–1754

T. thermophila, transcriptionally competent state of chromatin and hv1 (Stargell et al.), 2641–2651
Xenopus oocyte nuclease, replicating vs. nonreplicating templates (Almouzni and Wolffe), 2033–2047
Transformation, autocrine and paracrine, and Wnt-1/CD4 and Wnt-1/CD8 chimeras (Parkin et al.), 2181–2193
Transformed cells, cell division cycle, alterations of cyclin/CDK enzyme family (Xiong et al.), 1572–1583
Transforming growth factors β (TGFs-β)
growth inhibition (Pierce et al.), 2308–2317
superfamily, BMP-2 and BMP-4 growth factors, hair development in transgenic mice (Blessing et al.) (204–215)
Transgenic mice
carrying *Fah* transgenes, animal model for human liver disease HT1 (Kelsey et al.), 2285–2297
hair follicle development, role of TGF-β-related molecules (Blessing et al.) (204–215)
human RB gene in mice (Bignon et al.), 1654–1662
obesity resistance (Ross et al.), 1318–1324
pituitary tumors produced by targeted oncogenesis (Lew et al.), 683–693
Transgenic mouse model, MMTV–TGF-β1 transgene, growth inhibition but no spontaneous tumors (Pierce et al.), 2308–2317
Transmembrane protein, Wnt-1 gene product (Parkin et al.), 2181–2193
Transmembrane signaling, *C. elegans* sex determination (Perry et al.), 216–228
Transport protein, *E. coli surB* gene product (Siegele and Kolter), 2629–2640
Transposable elements, responding to *Drosophila* modifier gene *su(f)* (Mitchelson et al.), 241–249
Transposase Tc*1*, *C. elegans* (Vos et al.), 1244–1253
Transpososome assembly, Mu type 1, role of site-specific HU binding (Lavoie and Chaconas), 2510–2519
Transvection effect, *Drosophila* (Fauvarque and Dura), 1508–1520
Triple-helix formation, induces transcription-dependent recombination (Kohwi and Panchenko), 1766–1778
Trypanosomatid protozoans, *L. major* (LeBowitz et al.), 996–1007
Tryphine, role in *Arabidopsis* pollen–stigma interactions (Preuss et al.), 974–985
tsl. *See torso-like*
Tumor necrosis factor β (TNFβ), pre-mRNA processing, cooperation between introns (Neel et al.), 2194–2205
Tumor suppressor gene
human p53, central conserved portion is DNA-binding domain (Pavletich et al.), 2556–2564
p53 (Bargonetti et al.), 2565–2574; (Debbas and White), 546–554
Tumor suppressor protein, p53 (Prives and Manfredi), 529–534 Meeting Review
Twins Drosophila gene, encodes a regulatory subunit of protein phosphatase 2A (Uemura et al.), 429–440
Two-hybrid screen, $p130^{Rbr-2}$–CDK2 interaction through yeast-derived cyclin bridge (Hannon et al.), 2378–2391
Two-hybrid system, yeast, isolation of potential Rb-associated proteins (Durfee et al.), 555–569
Tyrosine aminotransferase (TAT) gene, extinction of in somatic cell hybrids (Nitsch et al.), 308–319
Tyrosine kinase substrate, *Drosophila dab* protein (Gertler et al.), 441–453
Tyrosine metabolism
Fah deficiency, neonatal hepatic dysfunction of lethal albino mice (Grompe et al.), 2298–2307
human hereditary tyrosinemia type 1 (HT1), animal model for (Kelsey et al.), 2285–2297

U

U1 snRNA. *See also* pre-U1 snRNA
U1 snRNP
cross-linking to 3′-terminal exons (Wassarman and Steitz), 647–659
pre-mRNA splicing (Watakabe et al.), 407–418
pre-mRNA splicing, maintains function without U1A protein (Liao et al.), 419–428
U1A protein, nonessential for U1 snRNP function (Liao et al.), 419–428
U2 snRNP binding, stimulated by fibronectin ED1 exon SE element interaction with SR proteins (Lavigueur et al.), 2405–2417
U6 RNA, conformational changes of during spliceosome cycle (Wolff and Bindereif), 1377–1389
Ubiquitin-conjugating enzyme, encoded by *S. cerevisiae RAD6* gene, required for amino-end rule-dependent protein degradation (Watkins et al.), 250–261
Ultrabithorax (*Ubx*) *Drosophila* homeotic gene, functional specificity of protein (Chan and Mann), 796–811
unc-52 C. elegans gene, encodes basement membrane proteoglycan (Rogalski et al.), 1471–1484
UPF1 gene product, yeast, required for nonsense-mediated mRNA decay (Peltz et al.), 1737–1754
UV-damaged DNA, *S. cerevisiae*, *RAD25* gene required for excision repair (Qiu et al.), 2161–2171

V

V(D)J recombination
double-stranded signal sequence breaks (Schlissel et al.), 2520–2532
nucleotide sequence at the coding end (Gerstein and Lieber), 1459–1469
Ventral central nervous system, zebrafish embryo, *Axial* gene expression (Strähle et al.), 1436–1446
Ventrolateral genes, *Drosophila rhomboid* (*rho*) gene mediates wing vein formation (Sturtevant et al.), 961–973
Vertebrate embryogenesis, *Xenopus*, dorsoventral patterning (Sive), 1-12 Review
Vertebrate lens development, retinoids role in (Tini et al.), 295–307
VP16 *trans*-activator, herpesvirus, corecruitment with Oct-1 (Cleary et al.), 72–83
Vulval development, *C. elegans* (Miller et al.), 933–947

W

Wing vein formation, *Drosophila*, role of *rho* gene (Sturtevant et al.), 961–973

X

X/A ratio, *Drosophila* sex determination (Erickson and Cline), 1688–1702
Xenopus laevis
activity of Wnt-1 as a transmembrane protein (Parkin et al.), 2181–2193
chromatin assembly coupled to repli-

cation (Almouzni and Wolffe), 2033–2047
dorsoventral patterning (Sive), 1-12 Review
eggs, telomere end factor (XTEF) (Cardenas et al.), 883–894
embryos, gastrula organizing region, novel *Xnot* homeo box gene (von Dassow et al.), 355–366
mesodermal patterning, *Xwnt-8*–Spemann organizer interactions (Christian and Moon), 13–28
mRNA, sequence-specific endonucleotic cleavage and protection of (Brown et al.), 1620–1631
oocytes, pre-U1 snRNA, export of (Terns et al.), 1898–1908
replication, chromatin assembly, and transcription (Almouzni and Wolffe), 2033–2047
role of FRGY2 in masking mRNA from translation (Ranjan et al.), 1725–1736
rRNA terminal balls, conserved processing complexes (Mougey et al.), 1609–1619
Xnot Xenopus gene, novel FGF and activin-regulated homeo box gene (von Dassow et al.), 355–366
XTEF. *See Xenopus laevis*
Xwnt-8, interactions with Spemann organizer, *Xenopus* mesodermal patterning (Christian and Moon), 13–28

Y

Y-box proteins, FRGY2 masks mRNA from translation (Ranjan et al.), 1725–1736
Yeast
ADI inhibits binding of TBP to DNA (Auble and Hahn), 844–856
asymmetric HO expression (Tebb et al.), 517–528
mRNA deadenylation and decay (Decker and Parker), 1632–1643
nonsense mutations in *PGK1* gene, and mRNA decay (Peltz et al.), 1737–1754
SNF2/SWI2 protein, DNA-stimulated ATPase activity (Laurent et al.), 583–591
two-hybrid system, isolation of potential RB-associated proteins (Durfee et al.), 555–569
U1 snRNP and U1A protein (Liao et al.), 419–428
See also budding yeast; *Saccharomyces cerevisiae*
Yolk protein genes, fat body enhancer (FBE) of, *Drosophila* (Coschigano and Wensink), 42–54
YY1 DNA-binding protein, regulation of c-*fos* promoter via effect on DNA structure (Natesan and Gilman), 2497–2509

Z

Zebrafish embryos, *Axial* gene expression (Strähle et al.), 1436–1446
Zinc, and DNA-binding activity (Pavletich et al.), 2556–2564
Zinc finger
gene, *Krox20*, role in mouse hindbrain development (Swiatek and Gridley), 2071–2084
motifs
encoded by *C. elegans egl-43* cell migration gene (Garriga et al.), 2097–2109
S. cerevisiae RME1 gene product (Covitz and Mitchell), 598–1608
protein
LYAR, novel nucleolar oncoprotein (Su et al.), 735–748
novel binding factor critical for GH expression (Lipkin et al.), 1674–1687
Zipper gene product, nonmuscle myosin heavy chain (Young et al.), 29–41